

Full reference list used in meta-analysis – Elwen et al 2011 Review

- Amir OA, Jiddawi NS. 2001. Dolphin tourism and community participation in Kizmkazi village, Zanzibar. in: Richmond, M.D. Francis, J. (Eds), Marine Science development in Tanzania and East Africa. . *Proceedings of the 20th anniversary conference on advances in marine science in Tanzania. IMS/WIOMSA, Zanzibar, Tanzania*: 551-560.
- Amir OA, Berggren P, Jiddawi NS. 2002. The Incidental Catch of Dolphins in Gillnet Fisheries in Zanzibar, Tanzania. *Western Indian Ocean Journal of Marine Science* 1 (2): 155-162.
- Amir OA, Berggren P, Ndaro SGM, Jiddawi NS. 2005a. Feeding ecology of the Indo-Pacific bottlenose dolphin (*Tursiops aduncus*) incidentally caught in the gillnet fisheries off Zanzibar, Tanzania. *Estuarine Coastal And Shelf Science* 63 (3): 429-437.
- Amir OA, Jiddawi NS, Berggren P. 2005b. The occurrence and distribution of dolphins in Zanzibar, Tanzania, with comments on differences between the two Species of *Tursiops*. *Western Indian Ocean Journal of Marine Science* 4 (1): 85-93.
- Anderson RC, Clark R, Madsen PT, Johnson C, Kiszka J, Breysse O. 2006. Observations of Longman's beaked whales (*Indopacetus pacificus*) in the western Indian Ocean. *Aquatic Mammals* 32 (2): 223-231.
- Angot M. 1951. Rapport Scientifique Sur Le Expeditions Baleineres Autour de Madagascar. (Saisons 1949 et 1959) *Memoires Institute Science Madagascar* VI (2): 439 - 486.
- Angot M. 1954. Observations sur les mammifères marins de l'Archipel de Kerguélen, avec une étude détaillée de l'Elephant de mer *Mirounga leonina* L. *Mammalia* 18): 1-11.
- Ansorge IJ, Lutjeharms JRE. 2007. The Cetaceans Environment off Southern Africa. In: Best PB (ed.), *Whales and Dolphins of the Southern African Subregion*. Cape Town: Cambridge University Press.
- Arbanou A, Robineau D, Michel P. 1986. Contamination par les organochlores des dauphins de Commerson des îles Kerguelen. (Organochlorine contamination of Commerson's dolphin from the Kerguelen Islands). *Oceanologic Acta* 9 (1): 19-30.
- Arnason U, Best PB. 1991. Phylogenetic relationships within the Mysticeti (whalebone whales) based upon studies of highly repetitive DNA in all extant species. *Hereditas* 114): 263-269.
- Atkins S, Pillay N, Peddemors VM. 2004. Spatial Distribution of Indo-Pacific Humpback Dolphins (*Sousa chinensis*) at Richards Bay, South Africa: Environmental Influences and Behavioural Patterns. *Aquatic Mammals* 30 (1): 84-93.

- Ballance LT, Pitman RL. 1998. Cetaceans of the western tropical Indian Ocean: distribution, relative abundance, and comparisons with cetacean communities of two other tropical ecosystems. *Marine Mammal Science* 14 (3): 429-459.
- Bannister JL, Gambell R. 1965. The succession and abundance of fin, sei and other whales off Durban. *Norsk Hvalfangst-tidende* 54 (3): 45-60.
- Bannister JL, Baker AdC. 1967. Observations on food and feeding of baleen whales at Durban. *Norsk Hvalfangst-tidende* 4): 78-82.
- Barendse J, Best PB, Thornton M, Pomilla C, Carvalho I, Rosenbaum HC. 2010. Migration redefined? Seasonality, movements and group composition of humpback whales *Megaptera novaeangliae* off the west coast of South Africa. *African Journal of Marine Science* 32 (1): 1-22.
- Barendse J, Best PB, Thornton M, Elwen SH, Rosenbaum HC, Carvalho I, Pomilla C, Collins TJQ, Meyer M. 2011. Transit station or destination? Attendance patterns, regional movement, and population estimate of humpback whales *Megaptera novaeangliae* off West South Africa based on photographic and genotypic matching. *African Journal of Marine Science* 33 (3): XXX.
- Barnard KH. 1954. A guide book to South African whales and dolphins. *S. Afr. Mus. Guide* 4).
- Barros NB, Cockcroft VG. 1991. Prey of humpback dolphins (*Sousa plumbea*) stranded in Eastern Cape Province, South Africa. *Aquatic Mammals* 17): 134-136.
- Barthelmeß K. 1986. Deutsche Walfanggesellschaften in wilhelminischer Zeit. Germania AG und Sturm vogel GmbH. *S. Zeitschrift des Deutschen Schiffartsmuseums Bremerhaven* Nr 9): 227-250.
- Barthelmeß K. 1987. Sturm vogel – ein Kapitel deutscher Walfanggeschichte an der Namibkuste. *Nambiana - SWA Scientific Society, Communications of the ethno-historical study group*, 11. Windhoek 11): 17-40.
- Bass AJ. 1969. A rare whale stranded in Zululand. *Bulletin of the South African Association for Marine Biological Research* 7): 36.
- Beddard FE. 1915. Contributions to the knowledge of the anatomy of the sperm whale [*Physeter macrocephalus*] based upon the examination of a young foetus. *Annals of the Durban Museum* 1 (2): 107-124.
- Beddard FE. 1919. Further contributions to the anatomy of the sperm whale [*Physeter macrocephalus*] based upon the examination of two additional foetus. *Annals of the Durban Museum* 2 (4): 129-148.
- Bennet AG. 1931. *Whaling in the Antarctic*. Edinburgh: W. Blackwood and Sons.

Berggren P, Amir OA, Stensland E, Jiddawi NS. 2001. Marine Mammals in Zanzibar: A Resource in Need of Conservation and Management. *Paper Presented at the Wiomsa Second Scientific Symposium, 22nd – 25th October 2001, Karimjee Hall, Dar es Salaam, Tanzania.*).

Berggren P. 2009. *Whales and dolphins; a field guide to marine mammals of East Africa*: Norwich: East Publishing Limited.

Bermond M. 1950. Campagne Baleinière dans les eaux de Madagascar (saison 1949). *Cybium* 5): 31-47.

Bernasconi M, Nottestad L, Axelsen BE, Krakstad J-O. in press. Acoustic observations of Dusky dolphins *Lagenorhynchus obscurus* hunting Cape horse mackerel *Trachurus trachurus capensis* off Namibia. *Marine Ecology Progress Series* DOI: 10.3354/meps09071).

Berube M, Rew MB, Skaug H, Jørgensen H, Robbins J, Best P, Sears R, Palsbøll PJ. 2005. Polymorphic microsatellite loci isolated from humpback whale, *Megaptera novaeangliae* and fin whale, *Balaenoptera physalus*. *Conservation Genetics* 6 (4): 631-636.

Best PB. 1960. Further information on Bryde's whale (*Balaenoptera edeni* Anderson) from Saldanha Bay, South Africa. *Norsk Hvalfangst-tidende* 49): 201-215.

Best PB, Bannister JL. 1963. Functional polyovulry in the sei whale *Balaenoptera borealis* Lesson. *Nature, Lond.* 199 (4888): 89.

Best PB. 1966a. A case of prolonged lactation in the fin whale (*Balaenoptera physalus*). *Norsk Hvalfangst-tidende* 55): 119-122.

Best PB. 1966b. Inclusions in the teeth of sperm whales (*Physeter catodon*). *South African Medical Journal* 40): 127-128.

Best PB. 1967a. Distribution and feeding habits of baleen whales off the Cape Province. *South African Sea Fisheries Research Institute Investigational Report* 57).

Best PB. 1967b. The sperm whale (*Physeter catodon*) off the west coast of South Africa: 1. Ovarian changes and their significance. *South African Sea Fisheries Research Institute Investigational Report* 61).

Best PB. 1968a. A comparison of the external characters of sperm whales off South Africa. *Norsk Hvalfangst-tidende* 57 (6): 146-164.

Best PB. 1968b. The polarity of sperm whale ovaries. *Norsk Hvalfangst-tidende* 57 (2): 43-45.

Best PB. 1968c. The sperm whale (*Physeter catodon*) off the west coast of South Africa: 2. Reproduction in the female. *South African Sea Fisheries Research Institute Investigational Report* 68): 1-20.

Best PB, Gambell R. 1968a. The abundance of sei whales off South Africa. *Norsk Hvalfangst-tidende* 57): 168-174.

Best PB, Gambell R. 1968b. A comparison of the external characters of sperm whales off South Africa. *Norsk Hvalfangst-tidende* 57): 146-164.

Best PB. 1969a. A dolphin (*Stenella attenuata*) from Durban, South Africa. *Annals of the South African Museum* 52): 121-135.

Best PB. 1969b. The sperm whale (*Physeter catodon*) off the west coast of South Africa: 3. Reproduction in the male. *South African Sea Fisheries Research Institute Investigational Report* 72): 20.

Best PB. 1969c. The sperm whale (*Physeter catodon*) off the west coast of South Africa: 4. Distribution and movements. *South African Sea Fisheries Research Institute Investigational Report* 78): 12.

Best PB. 1970a. Exploitation and recovery of right whales *Eubalaena australis* off the Cape Province. *South African Sea Fisheries Research Institute Investigational Report* 80): 1-20.

Best PB. 1970b. Records of the pygmy killer whale, *Feresa attenuata*, from Southern Africa, with notes on behaviour in captivity. *Annals of the South African Museum* 57): 1-14.

Best PB. 1970c. The sperm whale (*Physeter catodon*) off the west coast of South Africa: 5. Age, growth and mortality. *South African Sea Fisheries Research Institute Investigational Report* 79): 27.

Best PB, Robertson NH. 1971. The composition of colostrum from a pygmy killer whale. *South African Journal of Dairy Technology* 3): 203.

Best PB. 1973a. Status of whale stocks off South Africa, 1971. *Reports of the International Whaling Commission* 23): 115-126.

Best PB. 1973b. Test firing of whale marks at Durban. *Reports of the International Whaling Commission* 23): 213-214.

Best PB. 1974a. Status of whale stocks off Natal, 1972. *Reports of the International Whaling Commission* 24): 127-135.

- Best PB, Roscoe MJ. 1974. Survey of right whales off South Africa, 1972, with observations from Tristan da Cunha, 1971/72. *Reports of the International Whaling Commission* 24): 136-141.
- Best PB, Surmon LC. 1974. Conservation and utilisation of whales off the Natal coast. *Journal of the South African Wildlife Association* 4): 149-156.
- Best PB. 1975a. Status of whale stocks off South Africa, 1973. *Reports of the International Whaling Commission* 25): 198-207.
- Best PB. 1975b. Death times for whales killed by explosive harpoons. *Reports of the International Whaling Commission* 25): 208-214.
- Best PB. 1976a. Tetracycline marking and the rate of growth layer formation in the teeth of a dolphin (*Lagenorhynchus obscurus*). *South African Journal of Science* 72): 216-218.
- Best PB. 1976b. Status of whale stocks off South Africa, 1974. *Reports of the International Whaling Commission (Sci. Rep.)* 26): 264-286.
- Best PB. 1977a. Status of whale stocks off South Africa, 1975. *Reports of the International Whaling Commission* 27): 116-121.
- Best PB. 1977b. Two allopatric forms of Bryde's whale off South Africa. *Reports of the International Whaling Commission (Special Issue 1)*: 10-38.
- Best PB, Ross GJB. 1977. Exploitation of small cetaceans off southern Africa. Paper 1.17. *Reports of the International Whaling Commission* 27): 494-497.
- Best PB, McCully RM. 1979. Zygomycosis (phycomycosis) in a right whale (*Eubalaena australis*). *Journal of Comparative Pathology* 89): 341-348.
- Best PB, Ohsumi S. 1980. International Whaling Commission/ International Decade of Cetacean Research (IWC/IDCR). Southern minke whale assessment cruise, 1978/79. *Polar Records* 20 (124): 52-57.
- Best PB, Butterworth DS. 1980a. Report of the Southern Hemisphere minke whale assessment cruise, 1978/79. *Reports of the International Whaling Commission* 30): 257-283.
- Best PB. 1980. Pregnancy rates in sperm whales off Durban. *Reports of the International Whaling Commission (Special Issue 2)*: 93-97.
- Best PB, Butterworth DS. 1980b. Timing of oestrus within sperm whale schools. *Reports of the International Whaling Commission (Special Issue 2)*: 137-140.

- Best PB. 1981a. Reconsideration of the catch per unit effort as an index of availability for sperm whales off Durban. *Reports of the International Whaling Commission* 31): 769-781.
- Best PB, Shaughnessy PD. 1981. First record of the melon headed whale *Peponocephala electra* from South Africa. *Annals of the South African Museum* 83): 33-47.
- Best PB. 1981b. The status of right whales (*Eubalaena glacialis*) off South Africa, 1969–1979. *South African Sea Fisheries Research Institute Investigational Report* 123): 1-44.
- Best PB. 1982a. Seasonal abundance, feeding, reproduction, age and growth in minke whales off Durban (with incidental observations from the Antarctic). *Reports of the International Whaling Commission* 32): 759-786.
- Best PB. 1982b. Whales as target animals for sighting surveys. *Reports of the International Whaling Commission* 32): 551-553.
- Best PB. 1983. Sperm whale stock assessments and the relevance of historical whaling records. *Reports of the International Whaling Commission* (Special Issue 5): 41-55.
- Best PB. 1984. Accuracy of shipboard estimates of the length of Antarctic minke whales. *Reports of the International Whaling Commission* 34): 323-325.
- Best PB, Butterworth DS, Rickett LH. 1984a. An assessment cruise for the South African inshore stock of Bryde's whale (*Balaenoptera edeni*). *Reports of the International Whaling Commission* 34): 403-423.
- Best PB, Canham PAS, Macleod N. 1984b. Patterns of reproduction in sperm whales, *Physeter macrocephalus*. *Reports of the International Whaling Commission* (Special Issue 6): 51-79.
- Best PB, Ross GJB. 1984. Live-capture fishery for small cetaceans in South Africa waters. *Reports of the International Whaling Commission* 34): 615-618.
- Best PB. 1985. External characteristics of southern minke whales and the existence of a diminutive form. *Scientific reports of the Whales Research Institute, Tokyo* 36): 1-33.
- Best PB, Ross GJB. 1986. Catches of Right Whales from Shore-based Establishments in Southern Africa, 1792-1975. *Report of the International Whaling Commission* (Special Issue 10): 275-289.
- Best PB. 1987. Estimates of the landed catch of right (and other whalebone) whales in the American fishery, 1805-1909. *Fishery Bulletin. Union of South Africa* 85): 403-418.
- Best PB. 1988a. Right whales (*Eubalaena australis*) at Tristan da Cunha, a clue to the 'non recovery' of depleted stocks? *Biological Conservation* 46): 23-51.

- Best PB. 1988b. The external appearance of Heaviside's dolphin, *Cephalorhynchus heavisidii* (Gray, 1828). *Reports of the International Whaling Commission* (Special Issue 9): 279-299.
- Best PB. 1989. Some comments on the BIWS catch record data base. *Reports of the International Whaling Commission* 39): 363-369.
- Best PB. 1990a. Natural markings and their use in determining calving intervals in right whales off South Africa. *South African Journal of Zoology* 25(2)): 114-123.
- Best PB. 1990b. The 1925 catch of right whales off Angola. *Reports of the International Whaling Commission* 40): 381-382.
- Best PB. 1990c. Trends in the inshore right whale population off South Africa, 1969-1987. *Marine Mammal Science* 6(2)): 93-108.
- Best PB, Kato H. 1990. Short term shedding of, and mortality caused by Discovery .410 marks some inferences from test firing of marks into minke whale carcasses and actual recoveries. *Report of the International Whaling Commission* 40): 271-275.
- Best PB. 1991. The presence of coronuline barnacles on a southern right whale *Eubalaena australis*. *South African Journal of Marine Science* 11): 585-587.
- Best PB. 1992. Catches of fin whales in the North Atlantic by the M.V. "Sierra" (and associated vessels). *Reports of the International Whaling Commission* 42): 697-700.
- Best PB, Ruther H. 1992. Aerial photogrammetry of southern right whales, *Eubalaena australis*. *Journal of Zoology* 228(3)): 595-614.
- Best PB. 1993. Increase rates in severely depleted stocks of baleen whales. *ICES Journal of Marine Science* 50): 169-186.
- Best PB, Payne R, Rowntree V, Palazzo JT, Both MC. 1993. Long range movements of South Atlantic right whales *Eubalaena australis*. *Marine Mammal Science* 9 (3): 227-234.
- Best PB, Scott HA. 1993. The distribution, seasonability and trends in abundance of southern right whales, *Eubalaena australis*, off de Hoop Nature Reserve, South Africa. *South African Journal of Marine Sciences* 13): 175-186.
- Best PB. 1994a. Seasonability of reproduction and the length of gestation in southern right whales, *Eubalaena australis*. *Journal of Zoology* 232(2)): 175-189.
- Best PB. 1994b. A review of the catch statistics for modern whaling in Southern Africa, 1908-1930. *Reports of the International Whaling Commission* 44): 467-485.

- Best PB, Sekiguchi K, Findlay KP. 1995. A suspended migration of humpback whales, *Megaptera novaeangliae* on the west coast of South Africa. *Marine Ecology Progress Series* 118): 1-12.
- Best PB. 1996a. Evidence of migration by Bryde's whales from the offshore population in the southeast Atlantic. *Reports of the International Whaling Commission* 46): 315-322.
- Best PB. 1996b. The external locations of harpoon wounds on minke whales taken in Antarctic commercial whaling operations, 1978/79 season. *Animal Welfare* 5 (1): 57-62.
- Best PB, Ross GJB. 1996. Whale observations from the Knysna Heads, 1903 -1906. *South African Journal of Marine Science* 17): 305-308.
- Best PB, Schell DM. 1996. Stable isotopes in southern right whale (*Eubalaena australis*) baleen as indicators of seasonal movements, feeding and growth. *Marine Biology* 124): 483-494.
- Best PB, Sekiguchi K, Rakotonirina B, Rossouw A. 1996. The distribution and abundance of humpback whales off Southern Madagascar, August – September 1994. *Reports of the International Whaling Commission* 46): 323-331.
- Best PB, Crawford RJM, Van der Elst RP. 1997. Top predators in southern Africa's marine ecosystems. *Transactions of the Royal Society of South Africa* 52 (1): 177-225.
- Best PB, Kishino H. 1998. Estimating natural mortality rate in reproductively active female southern right whales *Eubalaena australis*. *Marine Mammal Science* 14 (4): 738-749.
- Best PB, Findlay KP, Sekiguchi K, Peddemors VM, Rakotonirina B, Rossouw A, Gove D. 1998. Winter distribution and possible migration routes of humpback whales *Megaptera novaeangliae* in the southwest Indian Ocean. *Marine Ecology Progress Series* 162): 287-299.
- Best PB. 1999. Food and feeding of sperm whales *Physeter macrocephalus* off the west coast of South Africa. *South African Journal of Marine Science* 21): 393-413.
- Best PB, Reeb D, Morais M, Baird A. 1999. A preliminary investigation of humpback whales off northern Angola. *Paper SC51/CAWS33 submitted to the Scientific Committee of the International Whaling Commission. Grenada, May 1999.*
- Best PB. 2000. Coastal distribution, movements and site fidelity of right whales *Eubalaena australis* off South Africa, 1969-1998. *South African Journal of Marine Science* 22): 43-55.
- Best PB. 2001. Distribution and population separation of Bryde's whale *Balaenoptera edeni* off southern Africa. *Marine Ecology Progress Series* 220): 277-289.

Best PB, Brandão A, Butterworth DS. 2001a. Demographic parameters of southern right whales off South Africa. *Journal of Cetacean Research and Management* (Special Issue 2): 9.

Best PB, Peddemors VM, Cockcroft VG, Rice N. 2001b. Mortalities of right whales and related anthropogenic factors in South African waters, 1963-1998. *Journal of Cetacean Research and Management* (Special Issue 2): 171-176.

Best PB, Lockyer CH. 2002. Reproduction, growth and migrations of sei whales *Balaenoptera borealis* off the west coast of South Africa in the 1960s. *South African Journal of Marine Science* 24): 111-133.

Best PB, Rademeyer RA, Burton C, Ljungblad D, Sekiguchi K, Shimada H, Thiele D, Reeb D, Butterworth DS. 2003a. The abundance of blue whales on the Madagascar Plateau, December 1996. *Journal of Cetacean Research and Management* 5 (3): 253-260.

Best PB, Schaeff CM, Reeb D, Palsbøll P. 2003b. Composition and possible function of social groupings of southern right whales in South African waters. *Behaviour* 140 (11-12): 1469-1494.

Best PB, Reeb D, Rew MB, Palsbøll PJ, Schaeff C, Brandão A. 2005. Biopsyng southern right whales: Their reactions and effects on reproduction. *Journal of Wildlife Management* 69 (3): 1171-1180.

Best PB. 2006. The presence of right whales in summer on the west coast of South Africa: the evidence from historical records. *African Journal of Marine Science* 28 (1): 159-166.

Best PB. 2007. *Whales & Dolphins of the Southern African Subregion*. Cape Town: Cambridge University Press.

Best PB, Mate BR. 2007. Sighting history and observations of southern right whales following satellite tagging off South Africa. *Journal of Cetacean Research and Management* 9 (2): 111-114.

Best PB, Glass JP, Ryan PG, Dalebout ML. 2009. Cetacean records from Tristan da Cunha, South Atlantic. *Journal of the Marine Biological Association of the UK* 89 (5): 1023-1032.

Best PB, Meyer MA, Lockyer C. 2010. Killer whales in South African waters – a review of their biology. *African Journal of Marine Science* 32 (2): 171-186.

Best PB, Reeb D. 2010. A near mass stranding of cetaceans in St Helena Bay, South Africa. *African Journal of Marine Science* 32 (1): 163-166.

Best PB. in press. A note on the age at sexual maturity of humpback whales. *Journal of Cetacean Research and Management* (Special Issue 4).

- Best PB, Underhill LG. 1990. Estimating population size in southern right whales (*Eubalaena australis*) using naturally marked animals. In: Hammond P (ed.), *Individual Recognition of Cetaceans: Use of Photo-Identification and Other Techniques to Estimate Population Parameters*. Cambridge. pp 183-189.
- Best PB. 1971. Order Cetacea. In: Meester J, Setzer HW (eds), *The Mammals of Africa. An Identification Manual* City of Washington: Smithsonian Institution Press. p 10.
- Best PB, Ross GJB. 1989. Whales and Whaling. In: Payne AIL, Crawford RJM (eds), *The Oceans of Life off Southern Africa*. Halfway House, South Africa: Vlaeberg Publishers. pp 315-338.
- Best PB, Abernethy RB. 1994. Heaviside's dolphin, *Cephalorhynchus heavisidii* (Gray, 1828). In: Ridgway S, Harrison M (eds), *The Handbook of Marine Mammals*, vol. 6. New York: Academic Press. pp 289-414.
- Best PB. 1974b. Status of the whale populations off the west coast of South Africa, and current research. In: Schevill WE (ed.), *The Whale Problem. A Status Report*. Cambridge, Massachusetts, USA: Harvard University Press. pp 53-81.
- Best PB. 1974c. The biology of the sperm whale as it relates to stock management. In: Schevill WE (ed.), *The Whale Problem: a Status Report*. Cambridge, Massachusetts, USA.: Harvard University Press. pp 257-293.
- Best PB. 1979. Social organization in sperm whales, *Physeter macrocephalus*. In: Winn HE, Olla BL (eds), *Behaviour of Marine Animals*, vol. 3. New York, USA and London, UK.: Plenum Press. pp 227-289.
- Best PB, Meijer MA. 2010. Neglected but not forgotten: southern Africa's dusky dolphins. In: Würsig B, Würsig M (eds), *The Dusky Dolphin. Master Acrobat Off Different Shores* London, UK: Academic Press. pp 291-311.
- Borsig P. 1997. Seasonal trends in the occurrence of marine mammals in the Golfe du Morbihan, Kerguelen Islands. *Marine Mammal Science* 13 (2): 314-316.
- Branch TA, Butterworth DS. 2001a. Estimates of abundance south of 60S for cetaceans species sighted frequently on the 1978/79 to 1997/98 IWC/IDC-SOWER sighting surveys. *Journal of Cetacean Research and Management* 3 (3): 252-270.
- Branch TA, Butterworth DS. 2001b. Southern hemisphere minke whales: standardized abundance estimates from the 1978/79 to 1997/98 IWC/IDC-SOWER sighting surveys. *Journal of Cetacean Research and Management* 3 (3): 143-174.
- Branch TA, Matsuoka K, Miyashita T. 2004. Evidence for increases in Antarctic blue whales based on Bayesian modelling. *Marine Mammal Science* 20): 726-754.

- Branch TA, Stafford KM, Palacios DM, Allison C, Bannister JL, Burton CLK, Cabrera E, Carlson CA, Galletti Vernazzani B, Gill PC, et al. 2007. Past and present distribution, densities and movements of blue whales in the Southern Hemisphere and northern Indian Ocean. *Mammal Review* 37 (2): 116-175.
- Bronner GN, Hoffmann M, Taylor PJ, Chimimba CT, Best PB, Matthee CA, Robinson TJ. 2003. A revised systematic checklist of the extant mammals of the southern African subregion. *Durban Museum Novitates* 28): 56-106.
- Brown JR. 1846. *Etchings of a whaling cruise: with notes of a sojourn on the island of Zanzibar: and a brief history of the whale fishery, in its past and present condition.* London.
- Brown SG. 1954. Dispersal in blue and fin whales. *Discovery Reports* 26): 355-384.
- Brown SG. 1957. Whales observed in the Indian Ocean. *Marine Observer* 27): 157-165.
- Brown SG. 1959a. Whale marks recovered in the Antarctic seasons 1955/56, 1958/59, and in South Africa 1958 and 1959. *Norsk Hvalfangst-tidende* 48): 610-616.
- Brown SG. 1959b. Whales observed in the Atlantic Ocean. Notes on their distribution. *Norsk Hvalfangst-tidende* 48): 289-308.
- Brown SG. 1962. The movements of fin and blue whales within the Antarctic zone. *Discovery Reports* 33): 1-54.
- Brown SG. 1977a. Some results of sei whale marking in the southern hemisphere. *Reports of the International Whaling Commission* (Special Issue 1): 39-43.
- Brown SG. 1978. Sei whale marking data. *Reports of the International Whaling Commission* 28): 369-372.
- Brown SG. 1981. Movements of marked sperm whales in the Southern Hemisphere. *Reports of the International Whaling Commission* 31): 835-837.
- Brown SG, Best PB. 1981. Recoveries of whale marks from minke whales in the Southern Hemisphere. *Reports of the International Whaling Commission* 31): 357-358.
- Brown SG. 1982. Southern right whale dolphins off the southwest Africa coast. *Marine Observer* 52): 33-34.
- Brown SG, Gaskin DE. 1987. Report on whale observations in the Antarctic 1966/67. *FAO Fish. Circ.* 111).
- Brown SG. 1977b. Whale marking: a short review. In: Angel M (ed.), *A Voyage of Discovery*: Pergamon Press. pp 569-581.

- Brownell Jr RL, Clapham PJ. 1999. Spectacled porpoise *Phocoena dioptrica* Lahille, 1912. In, *Handbook of Marine Mammals*, vol. 6: Academic Press.
- Brownell Jr RL, Donahue MA. 1999. Hourglass dolphin, *Lagenorhynchus cruciger* (Quoy and Gaimard, 1824). In, *Handbook of Marine Mammals*. , vol. 6. pp 121-135.
- Brownell Jr RL. 1974. Small odontocetes of the Antarctic. In: Bushnell VC (ed.), *Antarctic Map Folio Series. Folio 18.* . New York: American Geographic Society. pp 13-19.
- Budack KFR. 1977. The Aonin or Topnaar of the Lower !Kuiseb valley, and the sea. In: Trail A (ed.), *Khoisan Linguistic Studies 3*. Johannesburg: University of the Witwatersrand. pp 1-42.
- Budker P. 1950. Sur un rorqual de Rudolphi, ou « sei-whale » (*Balaenoptera borealis*, Lesson) capture au Cap Lopez (Gabon). *Mammalia* 14): 154-158.
- Budker P. 1952. Quelques considérations sur la campagne baleinière 1951 au Cap Lopez (Gabon). *Mammalia* 16): 1-6.
- Budker P, Collignon J. 1952. Trois campagnes baleinières au Gabon (1949-1950-1951). *Bulletin de l'Institut d'Etudes Centrafricaines* 3): 75-100.
- Budker P. 1953. Les campagnes baleinières 1949-1952 au Gabon (note préliminaire). *Mammalia*, *Mammalia* 17): 129-148.
- Budker P, Roux C. 1968. The 1959 summer whaling season at Cape Lopez (Gabon). *Norsk Hvalfangst-tidende* 57): 141-145.
- Budylenko GA. 1981. Distribution and some aspects of the biology of killer whales in the South Atlantic. *Reports of the International Whaling Commission* 31): 523-525.
- Butterworth DS, Best PB. 1982. Report of the Southern Hemisphere minke whale assessment cruise, 1980/81. *Reports of the International Whaling Commission* 32): 835-874.
- Butterworth DS, Best PB, Basson M. 1982. Results of analysis of sighting experiments carried out during the 1980/81 Southern Hemisphere minke whale assessment cruise. *Reports of the International Whaling Commission* 32): 819-834.
- Butterworth DS, Best PB, Hembree D. 1984. Analysis of experiments carried out during the 1981/82 IWC/IDCR Antarctic minke whale assessment cruise in Area II.).
- Butterworth DS, Best PB. 1990. Implications of the recovery rate of the South African right whale population for baleen whale population dynamics. *Reports of the International Whaling Commission* 40): 433-447.

Butterworth DS, Best PB. 1994. The origins of the choice of 54% of carrying capacity as the protection level for baleen whale stocks, and the implications thereof for management procedures. *Reports of the International Whaling Commission* 44): 491-497.

Cassens I, Van Waerebeek K, Best P, Crespo E, Reyes J, Milinkovitch M. 2003. The phylogeography of dusky dolphins (*Lagenorhynchus obscurus*): A critical examination of network methods and rooting procedures. *Molecular Ecology* 12 (7): 1781-1792.

Cassens I, Van Warebeek K, Best PB, Tzika A, Van Helden AL, Crespo EA, Milinkovitch M. 2005. Evidence for male dispersal along the coasts but no migration in pelagic waters in dusky dolphins (*Lagenorhynchus obscurus*). *Molecular Ecology* 14): 107-121.

Chapman DG. 1974. Status of Antarctic rorqual whale stocks. In: Schevill WE (ed.), *The whale problem, a status report*: Harvard University Press, Massachusetts. pp 218-238.

Christiansen F, Lusseau D, Stensland E, Berggren P. 2010. Effects of tourist boats on the behaviour of Indo-Pacific bottlenose dolphins off the south coast of Zanzibar. *Endangered Species Research* 11 (1): 91-99.

Chubb EC. 1918. Some observations upon whales captured at Durban. *Annals off the Durban Museum* 2 (2): 89-93.

Clarke MR. 1980. Cephalopoda in the diet of sperm whales of the Southern Hemisphere and their bearing on sperm whale biology. *Discovery Reports* 37): 1-324.

Cockcroft VG, Cliff G, Ross GJB. 1989a. Shark predation on Indian Ocean bottlenose dolphins, *Tursiops truncatus*, of Natal, South Africa. *South African Journal of Zoology* 24(4)): 305-309.

Cockcroft VG, de Kock AC, Lord DA, Ross GJB. 1989b. Organochlorines in bottlenose dolphins *Tursiops truncatus* from the east coast of South Africa. *South African Journal of Marine Science* 8): 207-217.

Cockcroft VG, Ross GJB. 1989. Age, growth and reproduction of bottlenose dolphins *Tursiops truncatus* from the east coast of southern Africa. *Fishery Bulletin* 88): 289-302.

Cockcroft VG. 1990. Dolphin catches in the Natal shark nets, 1980-1988. *South African Journal of Wildlife Research* 20(2)): 44-51.

Cockcroft VG, de Kock AC, Ross GJB, Lord DA. 1990a. Organochlorines in common dolphins caught in shark nets during the Natal "sardine run". *South African Journal of Zoology* 25 (2): 144-148.

Cockcroft VG, Peddemors VM. 1990. Seasonal distribution and density of common dolphins, *Delphinus delphis*, off the south-east coast of Southern Africa. *South African Journal of Marine Sciences* 9): 371-377.

Cockcroft VG, Sauer W. 1990. Observed and inferred epimeletic (nurturant) behaviour in bottlenose dolphins. *Aquatic Mammals* 16 (1): 31-32.

Cockcroft VG, Ross GJB, Peddemors VM. 1990b. Bottlenose dolphin, *Tursiops truncatus*, distribution in Natal's coastal waters. *South African Journal of Marine Science* 9): 1-11.

Cockcroft VG, Ross GJB, Peddemors VM. 1991a. Distribution and status of bottlenose dolphins, *Tursiops truncatus*, on the south coast of Natal, South Africa. *South African Journal of Marine Science* 11): 203-209.

Cockcroft VG. 1991a. Rate of post mortem temperature loss in a striped dolphin (*Stenella coeruleoalba*). *Aquatic Mammals* 17): 88-90.

Cockcroft VG, Peddemors VM, Ryan PG, Lutjeharms JRE. 1991b. Cetacean sightings in the Agulhas current retroflection and Subtropical convergence. *South African Journal of Antarctic Research* 20 (2): 64-67.

Cockcroft VG. 1992. Incidental capture of bottlenose dolphins (*Tursiops truncatus*) in shark nets: an assessment of some possible causes. *Journal of Zoology, London.* (A) 226): 123-134.

Cockcroft VG, Ross GJB, Peddemors VM, Borchers DL. 1992. Estimates of abundance and undercounting of bottlenose dolphins off northern Natal, South Africa. *South African Journal of Wildlife Research* 22 (4): 102-109.

Cockcroft VG, Haschik SL, Klages NTW. 1993. The diet of Risso's dolphin, *Grampus griseus* (Cuvier, 1812), from the east coast of South Africa. *Z. Saugetierkunde* 58): 286-293.

Cockcroft VG. 1994. Is there common cause for dolphin capture in gillnets? A review of dolphin catches in shark nets off Natal, South Africa. *Reports of the International Whaling Commission Special Issue* 15): 541-547.

Cockcroft VG, Krohn R. 1994. Passive gear fisheries of the southwestern Indian and southeastern Atlantic oceans: an assessment of their possible impact on cetaceans. *Report of the international Whaling Commission (Special Issue* 15): 317-328.

Cockcroft VG. 1997a. Conservation biology of humpback dolphins in South and Eastern Africa. *Proceedings of a Colloquium for the Development of a Management Strategy for Chinese White Dolphins Agriculture and Fisheries Department, The Government of the Hong Kong Special Administrative Region.*): 1-5.

Cockcroft VG, Young DD. 1998. An investigation of the status of coastal marine resources along the west coast of Madagascar. *Report Mission, Center for Dolphin Studies, Port Elizabeth, South Africa*): 58.

- Cockcroft VG. 1991b. Incidence of shark bite on Indian Ocean humpback dolphins (*Sousa plumbea*) off Natal, South Africa. In: Leatherwood S, Donovan GP (eds), *Cetaceans and Cetacean Research in the Indian Ocean Sanctuary*, vol. 3. Nairobi: United Nations Environment Programme, Marine Mammal Technical Report pp 277-282.
- Cockcroft VG, Ross GJB. 1991a. Bottlenose dolphins in the Natal shark nets, 1980 to 1987: Catch rates and associated contributing factors. In: Leatherwood S, Donovan GP (eds), *Cetaceans and Cetacean Research in the Indian Ocean Sanctuary*. Nairobi: United Nations Environment Programme, Marine Mammal Technical Report No. 3. pp 115-128.
- Cockcroft VG, Ross GJB. 1991b. Occurrence of organochlorines in stranded cetaceans and seals from the east coast of Southern Africa. In: Leatherwood S, Donovan GP (eds), *Cetaceans and Cetacean Research in the Indian Ocean Sanctuary*. Nairobi: United Nations Environment Programme. pp 271-276.
- Cockcroft VG, Ross GJB. 1990a. The growth and behavioral development of a captive bottlenosed dolphin calf. In: Leatherwood S, Reeves R (eds), *The Bottlenose Dolphin*. New York: Academic Press. pp 461-478.
- Cockcroft VG, Ross GJB. 1990b. Observations on the early development of a captive bottlenose dolphin calf. In: Leatherwood S, Reeves RR (eds), *The Bottlenose Dolphin*. London: Academic Press, Inc. pp 461-478.
- Cockcroft VG, Ross GJB. 1990c. Food and feeding of the Indian Ocean bottlenose dolphin off southern Natal, South Africa. In: Leatherwood S, Reeves RR (eds), *The Bottlenose Dolphin*. San Diego: Academic Press. pp 295-308.
- Cockcroft VG. 1997b. Marine Mammals - Whales and Dolphins: Toothed Whales: Baleen Whales. In: Mills G, Hes L (eds), *The Complete Book of Southern African Mammals*. Cape Town: Struik Winchester. pp 296-321.
- Cockcroft VG. 1999. Organochlorine levels in cetaceans from South Africa: a review. In: Reijnders PJH, Aguilar A, Donovan GP (eds), *Chemical Pollutants and Cetaceans: Journal of Cetacean Research and Management* (Special Issue 1). pp 169-176.
- Collet A, Robineau D. 1988. Data on the genital tract and reproduction of Commerson's dolphin, *Cephalorhynchus commersonii* from the Kerguelen islands. In: Brownell RJ, Donovan G (eds), *Biology of the genus Cephalorhynchus*, vol. Special Issue 9: Reports of the International Whaling Commission. pp 119-141.
- Collins T, Ngouessono S, Rosenbaum HC. 2004. A note on recent surveys for Atlantic humpback dolphins, *Sousa teuszii* (Kükenthal, 1892) in the coastal waters of Gabon. . *Paper SC/56/SM23 presented to the 56th Annual Meeting of the IWC Scientific Committee, July 2004, Italy*.

Collins T, Boumba R, Thonio J, Parnell R, Vanleeuwe H, Nguesson S, Rosenbaum HC. 2010. The Atlantic humpback dolphin (*Sousa teuszii*) in Gabon and Congo: cause for optimism or concern? . *Paper SC/62/SM9 presented to the Scientific Committee of the International Whaling Commission, Agadir, June 2010.*): 19.

Condy P. 1977. Whale observations in the pack ice off the Fimbul Ice Shelf, Antarctica. *South African Journal of Antarctic Research* 7): 7-9.

Condy PR, Van Aarde RJ, Bester MN. 1978. The seasonal occurrence and behaviour of killer whales *Orcinus orca* at Marion Island. *Journal of Zoology London* 184): 449-464.

Corbett HD. 1994. The occurrence of cetaceans of Mauritius and adjacent waters. *Report of the international Whaling Commission* 44): 393-397.

Cotté C, Guinet C. 2007. Historical whaling records reveal major regional retreat of Antarctic sea ice. *Deep Sea Research I* 54): 243-252.

Courtenay-Latimer M. 1963. Gray's Beaked Whale *Mesoplodon grayi*. *Annals of the Cape Provincial Museums (Natural History)* 3): 122.

Cruickshank R, Brown SG. 1981. Recent observations of some historical records of southern right whale dolphins, *Lissodelphis peronii*. *Fishery Bulletin. Union of South Africa* 15): 109-121.

Dahlheim ME. 1981. A review of the biology and exploitation of the killer whale *Orcinus orca*, with comments on recent sightings from Antarctica. *Reports of the International Whaling Commission* 31): 541-546.

Dalebout ML, Ross GJB, Baker CS, Anderson RC, Best PB, Cockcroft VG, Hinsz HL, Peddemors VP, Pitman RL. 2003. Appearance, distribution, and genetic distinctiveness of Longman's beaked whale, *Indopacetus pacificus*. *Marine Mammal Science* 19 (3): 421-461.

Dalebout ML, Baker CS, Mead JG, Cockcroft VG, Yamada TK. 2004. A comprehensive and validated molecular taxonomy of beaked whales, family Ziphiidae. . *Journal of Heredity* 95 (6): 459-473.

Darling JD, Sousa-Lima RS. 2005. Songs indicate interaction between humpback whale (*Megaptera novaeangliae*) populations in the western and eastern South Atlantic Ocean. *Marine Mammal Science* 21): 557-566.

Davies DH. 1963. Notes on dolphins. *SAAMBR Bull.* 4): 36-37.

de Boer MN, Baldwin R, Burton CLK, Eyre EL, Jenner KCS, Jenner MNM, Keith SG, McCabe KA, Parsons ECM, Peddemors VM, et al. 2002. Cetaceans in the Indian Ocean Sanctuary: A review. *Paper SC/54/O5 presented to the IWC Scientific Committee.*).

de Boer MN. 2010a. Cetacean distribution and relative abundance in offshore Gabonese waters. *Journal of the Marine Biological Association of the UK* 90): 1613-1621.

de Boer MN. 2010b. First record of a white rough-toothed dolphin (*Steno bredanensis*) off West Africa including notes on rough-toothed dolphin surface behaviour. *Marine Biodiversity Records* 3 (e66).

de Bruyn PJN, Hofmeyer GJG, de Villiers MS. 2006. First record of a vagrant Commerson's dolphin, *Cephalorhynchus commersonii*, at the southern African continental shelf. *African Zoology* 41 (1): 131-133.

de Buffrénil V, Robineau D. 1984. Report on maturation of post-cranial skeleton in Commersons dolphin (*Cephalorhynchus commersonii*) of Kerguelen Islands [Indian Ocean]. *Annales Des Sciences Naturelles Zoologie Et Biologie Animale* 6 (2): 125-132.

de Buffrénil V, Dziedzic A, Robineau D. 1989. Répartition et déplacements des dauphins de Commerson *Cephalorhynchus commersonii* (Lacépède, 1804) dans un golfe des îles Kerguelen; données du marquage individuel. *Canadian Journal of Zoology* 67): 516-521.

de Kock AC, Best PB, Cockcroft VG, Bosma C. 1994. Persistent organochlorine residues in cetaceans from the east and west coasts of southern Africa. *Science of the Total Environment* 154): 153-162.

Dekker P. 1994. Onbekende Nederlandse walvisvaart en de naamgeving van de Afrikaanse Walvisbaai. *Tijdschrift voor Zeegeschiedenis* 13): 41-50.

Dekker P, de Jong C. 1998. Whaling Expeditions of the West India Company to Walvis Bay. *Namibia Scientific Society Journal* 46).

Donnelly BG. 1969. Further observations on the southern right whale, *Eubalaena australis*, in South African waters. *Journal of Reproduction and Fertility Supplement* 6): 347-352.

Donovan G, Breiwick J, Best PB. 1982. A note on comparative readings of sperm whale teeth. *Reports of the International Whaling Commission* 32): 251-252.

Dudley SFJ, Cliff G. 2010. Influence of the annual sardine run on catches of large sharks in the protective gillnets off KwaZulu-Natal, South Africa, and the occurrence of sardine in shark diets. *African Journal of Marine Science* 32 (2): 383-397.

Duffield D, Barros N, Espinoza E, Ploen S, Gulland F, Heyning J. 2003. Identifying pygmy and dwarf sperm whales (Genus *Kogia*) using electrospray ionisation mass spectrometry of myoglobin and hemoglobin. *Marine Mammal Science* 19 (2): 395-399.

Dulau V, Boucaud V, Rota B. 2007. Cetacean diversity off La Réunion Island and interactions with human activities. In: Kiszka J, Muir C (eds), *Incidental catches of non-*

targeted marine species in the western Indian Ocean: problems and mitigation measures.
Mayotte, France: Workshop proceeding. 13-15th November 2006. pp 100-103.

Dziedic A, De Buffrenil V. 1989. Acoustic signals of the Commerson's dolphin, *Cephalorhynchus commersonii*, at the Kerguelen Islands. *Journal of Mammalogy* 70 (2): 449-452.

Edwards A. 1990. Fish and fisheries of Saint Helena Island. *University of Newcastle Centre for Tropical Coastal Management Studies, UK*): 184.

Elwen SH, Best PB. 2004a. Environmental factors influencing the distribution of southern right whales (*Eubalaena australis*) on the South Coast of South Africa II: Within bay distribution. *Marine Mammal Science* 20 (3): 583-601.

Elwen SH, Best PB. 2004b. Environmental factors influencing the distribution of southern right whales (*Eubalaena australis*) on the South Coast of South Africa I: Broad scale patterns. *Marine Mammal Science* 20 (3): 567-582.

Elwen SH, Best PB. 2004c. Are there reproductive benefits to southern right whale females (*Eubalaena australis*) associated with their coastal distribution off South Africa? *Marine Ecology Progress Series* 269): 289-295.

Elwen SH, Meÿer MAM, Best PB, Kotze PGH, Thornton M, Swanson S. 2006. Range and movements of a nearshore delphinid, Heaviside's dolphin *Cephalorhynchus heavisidii* as determined from satellite telemetry. *Journal of Mammalogy* 87 (5): 866-877.

Elwen SH, Best PB, Reeb D, Thornton M. 2009a. Diurnal movements and behaviour of Heaviside's dolphins, *Cephalorhynchus heavisidii*, with some comparative data for dusky dolphins, *Lagenorhynchus obscurus*. *South African Journal of Wildlife Research* 39 (2): 100-102.

Elwen SH, Reeb D, Thornton M, Best PB. 2009b. A population estimate of Heaviside's dolphins *Cephalorhynchus heavisidii* in the southern end of their range. *Marine Mammal Science* 25 (1): 107-124.

Elwen SH, Leeney RH. 2010. Injury and Subsequent Healing of a Propeller Strike Injury to a Heaviside's Dolphin (*Cephalorhynchus heavisidii*). *Aquatic Mammals* 36 (4): 382-387.

Elwen SH, Thornton M, Reeb D, Best PB. 2010. Near-shore distribution of Heaviside's (*Cephalorhynchus heavisidii*) and dusky dolphins (*Lagenorhynchus obscurus*) at the southern limit of their range in South Africa. *African Journal of Zoology* 45 (1): 78-91.

Elwen SH, Leeney RH. 2011. Interactions between leatherback turtles and killer whales in Namibian waters, including possible predation. *South African Journal of Wildlife Research* 41 (2): 205-209.

Englund A, Berggren P. 2002. The impact of tourism on Indo-Pacific bottlenose dolphins (*Tursiops aduncus*) in Menai Bay, Zanzibar. *Paper SC/54/WWI Presented to the Scientific Committee of the International Whaling Commission, Shimonoseki, Japan, May 2002*.

Ersts PJ, Rosenbaum HCR. 2003. Habitat preference reflects social organization of humpback whales (*Megaptera novaeangliae*) on a wintering ground. *Journal of Zoology, London* 260): 337-345.

Ersts PJ, Kiszka J, Vely M, Rosenbaum HC. in press. Density, group composition, and encounter rates of humpback whales (*Megaptera novaeangliae*) on three banks in the north-eastern Mozambique Channel. *Journal of Cetacean Research and Management*.

Eyre EJ. 1995. Observation of cetaceans in the Indian Ocean whale Sanctuary, May-July 1993. *Report of the International Whaling Commission* 45): 419-426.

Eyre EJ. 1997. Preliminary composite cetacean survey in the Indian Ocean Sanctuary, April 1995. *Paper SC/49/O28 submitted to the Scientific Committee of the International Whaling Commission*).

Eyre EJ. 2000. Observations of cetaceans in the Indian Ocean Sanctuary, Mauritius to Singapore, April 2000. *Paper SC/52/O16 submitted to the Scientific Committee of the International Whaling Commission*).

Findlay KP, Best PB, Ross GJB, Cockcroft VG. 1992. The distribution of small odontocete cetaceans off the coasts of South Africa and Namibia. *South African Journal of Marine Science* 12): 237-270.

Findlay KP, Best PB, Peddemors VM, Gove D. 1994. The distribution and abundance of humpback whales on their Mozambique winter grounds. *Report of the International Whaling Commission* 44): 311-320.

Findlay KP, Best PB. 1995. Summer incidence of humpback whales on the west coast of South Africa. *South African Journal of Marine Science* 15): 279-282.

Findlay KP, Best PB. 1996a. Estimates of the numbers of humpback whales observed migrating past Cape Vidal, South Africa, 1988-1991. *Marine Mammal Science* 12/3): 354-370.

Findlay KP, Best PB. 1996b. Assessment of heterogeneity in sighting probabilities of humpback whales within viewing range of Cape Vidal, South Africa. *Marine Mammal Science* 12 (3): 335-353.

Findlay KP. 2000. Fisheries interactions in Maputo and Bazaruto Bays, Mozambique. *Paper SC/49/SM24 presented to the Scientific Committee of the International Whaling Commission*.

Findlay KP. 2001. A review of humpback whale catches by modern whaling operations in the Southern Hemisphere. *Memoirs of the Queensland Museum* 47 (2): 411-420.

Findlay KP, Best PB, Meijer MA. 2011. Migrations of humpback whales past Cape Vidal, South Africa, and an estimate of the population increase rate (1988-2002). *African Journal of Marine Science* 33 (3): XXX.

Flower WH. 1879. An Account of the Petrological, Botanical, and Zoological Collections Made in Kerguelen's Land and Rodriguez during the Transit of Venus Expeditions, Carried out by Order of Her Majesty's Government in the Years 1874-75.

Flower WH. 1884. On the characters and divisions of the family *Delphinidae*. *Proceedings of the Zoological Society of London* 1883): 466-513.

Flower WH. 1885. *List of the specimens of Cetacea in the zoological department of the British Museum*: British Museum (Natural History).

Frost PGH, Best PB. 1978. Design and application of a coded format for recording observations of cetaceans at sea. *South African Journal of Antarctic Research* 6): 9-14.

Gambell R. 1964. A pygmy blue whale at Durban. *Norsk Hvalfangst-tidende* 53): 66-68.

Gambell R. 1966. Foetal growth and the breeding season of sperm whales. *Norsk Hvalfangst-tidende* 6): 113-118.

Gambell R. 1967. Seasonal movements of sperm whales. *Symposia of the Zoological Society of London* 19): 237-254.

Gambell R, Grzegorzewska CH. 1967. The rate of lamina formation in sperm whale teeth. *Norsk Hvalfangst-tidende* 56(6)): 117-121.

Gambell R. 1968a. Aerial observations of sperm whale behaviour. *Norsk Hvalfangst-tidende* 57(6)): 126-138.

Gambell R. 1968b. Seasonal cycles and reproduction in sei whales of the southern hemisphere. *Discovery Reports* 35): 31-34.

Gambell R. 1971. A short history of modern whaling off Natal. *Mercurius* 13): 37-44

Gambell R. 1972. Sperm whales off Durban. *Discovery Reports* 35): 199-358.

Gambell R, Lockyer CH, Ross GJ. 1973. Observations on the birth of a sperm whale calf. *South African Journal of Science* 69(5)): 147-148.

Gambell R, Best PB, Rice DW. 1975. Report on the international Indian Ocean whale marking cruise 24 November 1973- 3 February 1974. *Report of the International Whaling Commission* 25): 240-252.

- Gambell R. 1985a. Fin whale *Balaenoptera physalus* Linnaeus, 1758. In: Ridgway SH, Harrison R (eds), *Handbook of Marine Mammals*, vol. 3. San Diego, California, USA.: Academic Press. pp 171-192.
- Gambell R. 1985b. Sei whale *Balaenoptera borealis* Lesson, 1828. In: Ridgway SH, Harrison R (eds), *Handbook of Marine Mammals*, vol. 3. San Diego, California, USA: Academic Press. pp 155-170.
- Gambell R. 1974. The fin and sei whale stocks off Durban. In: W.E. S (ed.), *The Whale Problem a status report*.: Harvard University Press.
- Gedamke J, Robinson SM. 2010. Acoustic survey for marine mammal occurrence and distribution off East Antarctica (30-80°E) in January-February 2006. *Deep-Sea Research II* 57): 968-981.
- Gibbons MJ, Abiahy BB, Angel M, Assuncao CML, Bartsch I, Best P, Biseswar R, Bouillon J, Bradford-Grieve JM, Branch W, et al. 1999. The taxonomic richness of South Africa's marine fauna: a crisis at hand. *South African Journal of Marine Science* 95): 8-12.
- Goodall RNP, Baker AN, Best PB, Meÿer MA, Miyazaki N. 1997. On the biology of the hourglass dolphin, *Lagenorhynchus cruciger* (Quoy and Gaimard, 1824). *Reports of the International Whaling Commission* 47): 958-999.
- Goodall TB. 1913. With the whalers off Durban, and a few notes on the anatomy of the humpback whale (*Megaptera boops*). *Zoologist* 4 (17): 201-211.
- Goodwin JA, Durham BD, Peddemors VM, Cockcroft VG. 1996. Genetic variation in the bottlenose dolphin *Tursiops truncatus* along the Kwazulu/Natal coast, South Africa. *South African Journal of Marine Science* 17): 225-232.
- Grahl-Nielsen O, Krakstad J-O, Nottestad L, Axelsen BE. 2010. Dusky dolphins *Lagenorhynchus obscurus* and Cape fur seals *Arctocephalus pusillus pusillus*: fatty acid composition of their blubber and prey species. *African Journal of Marine Science* 32 (2): 187-196.
- Gray JE. 1828. Original figures and short systematic descriptions of new and unfigured animals. *Spicilegia Zoologica Part 1*.
- Gray JE. 1850. *Catalogue of the Specimens of Mammalia in the Collection of the British Museum*. London: British Museum.
- Gray JE. 1865. Notices of a new genus of delphinoid whales from the Cape of Good Hope, and of other cetaceans from the same area. *Proceedings of the Zoological Society of London* 1865): 522-529.

Gray JE. 1936. Studies in Animal Locomotion VI: The propulsive powers of the dolphin. *Journal of Experimental Biology* 13): 192-199.

Gray JE. 1846. On the cetaceous animals. In: The Zoology of the Voyage of H.M.S. Erebus and Terror, Under the Command of Captain Sir James Clark Ross, R.N., F.R.S. During the Years 1839 to 1843 by Authority of the Lords Commissioners of the Admiralty. Volume 7: Mammalia, Birds. E. W. Janson, London.

Griffin M. 1998. The species diversity, distribution and conservation of Namibian mammals. *Biodiversity and Conservation* 7): 483-494.

Griffin M, Coetzee CG. 2005. Annotated checklist and provisional national conservation status of Namibian mammals. *Technical Reports of Scientific Services. Directorate of Scientific Services, Ministry of Environment and Tourism, Windhoek, Namibia.* 4): 207.

Griffiths CL, van Sittert L, Best PB, Brown AC, Clark BM, Cook PA, Crawford RJM, David JHM, Davies BR, Griffiths MH, et al. 2005. Impacts of human activities on marine animal life in the Benguela: a historical overview. *Oceanography and Marine Biology Annual Review* 42): 303-392.

Gross A, Kiszka J, Van Canneyt O, Richard P, Ridoux V. 2009. A preliminary study of habitat and resource partitioning among co-occurring tropical dolphins around Mayotte, south-west Indian Ocean. *Estuarine, Coastal and Shelf Science* 84): 367-374.

Guiler ER, Burton HR, Gales NJ. 1987. On three odontocete skulls from Heard Island. *Scientific Reports of the Whales Research Institute* 38): 117-124.

Guinet C. 1991a. Intentional stranding apprenticeship and social play in killer whales (*Orcinus orca*). *Canadian Journal of Zoology* 69 (11): 2712-2716.

Guinet C. 1991b. L'Orque (*Orcinus orca*) autour de l'archipel Crozet comparaison avec d'autres localités. *Revue d'Ecologie (la Terre et la Vie)* 46): 321-337.

Guinet C. 1992. Comportement de chasse des orques (*Orcinus orca*) dans l'archipel Crozet. *Canadian Journal of Zoology* 70): 1656-1667.

Guinet C, Bouvier J. 1995. Development of intentional stranding hunting techniques in Killer whale (*Orcinus orca*) calves at Crozet Archipelago. *Canadian Journal of Zoology* 73): 27-33.

Guinet C, Barrett-Lennard L, Loyer B. 2000. Co-ordinated attack behaviour and prey sharing by killer whales at Crozet Archipelago: Strategies for feeding on negatively-buoyant prey. *Marine Mammal Science* 16 (4): 829-834.

Guissamulo A, Cockcroft VG. 2004. Ecology and population estimates of Indo-Pacific humpback dolphins (*Sousa chinensis*) in Maputo Bay, Mozambique. *Aquatic Mammals* 30 (1): 94-102.

Guissamulo AT, Cockcroft VG. 1997. Dolphin and dugong occurrence and distribution and fisheries interactions in Maputo and Bazaruto Bays, Mozambique. *Paper SC/49/SM24 presented at the 49th meeting of the International Whaling Commission, London, September 1998*.

Hammond PS. 1984. Abundance of killer whales in Antarctic Areas II, III, IV and V. *Reports of the International Whaling Commission* 34): 543-548.

Hardy AC. 1940. Whale-marking in the Southern Ocean. *Geographical Journal* 96): 345-350.

Harlin-Cognato HD, Markowitz T, Würsig B, Honeycutt RL. 2007. Multi-locus phylogeography of the dusky dolphin (*Lagenorhynchus obscurus*): passive dispersal via the west-wind drift or response to prey species and climate change? *BMC Evolutionary Biology* 7): 131.

Harmer SF. 1928. History of Whaling. *Proceedings of the Linnaean Society, London* 140): 51-95.

Harmer SF. 1931. Southern whaling. *Proceedings of the Linnean Society of London* 142): 1929 - 1930.

Heinrich S, Elwen SH, Brager S. 2009. Patterns of Sympatry in *Lagenorhynchus* and *Cephalorhynchus*: Dolphins in Different Habitats. In: Würsig B, Würsig M (eds), *The Dusky Dolphin: Master Acrobats off Different Shores*. London, UK: Academic Press. pp 313-332.

Henry J, Best PB. 1983. Organochlorine residues in whales landed at Durban, South Africa. *Marine Pollution Bulletin* 14): 223-227.

Henry J, Best PB. 1999. A note on concentrations of metals in cetaceans from southern Africa. *Journal of Cetacean Research and Management* (Special Issue 1: Chemical Pollutants and Cetaceans): 177-194.

Hershkovitz P. 1966. Catalog of living whales. *Bulletin of the United States National Museum* 246): 1-259.

Hoelzel AR, Potter CW, Best PB. 1998. Genetic differentiation between parapatric 'nearshore' and 'offshore' populations of the bottlenose dolphins. *Proceedings of the Royal Society of London B.* 265): 1177-1183.

Hoffmann M, Best PB. 2005. Suborder Cetacea. Whales and dolphins. In: Skinner JD, Chimimba CT (eds), *The Mammals of the Southern African Subregion. 3rd edition*: Cambridge University Press. pp 560-615.

Hofmeyr-Juritz L, Best PB. 2011. Acoustic behaviour of southern right whales in relation to numbers of whales present, Walker Bay, South Africa. *African Journal of Marine Science* 33 (3): XXX.

Horwood JW, Best PB, Ohsumi S. 1981. International Whaling Commission/International Decade of Cetacean Research (IWC/IDCR). Southern hemisphere minke whale assessment cruise, 1979 80. *Polar Records* 20 (129): 565-569.

Horwood JW. 1986. The distribution of the southern blue whale in relation to recent estimates of abundance. *Scientific Reports of the Whales Research Institute* 37): 155-165.

Howell KM, Pearson DM. 1977. Two records of dolphins from Tanzania. *African Journal of Ecology* 15): 167-168.

Ichihara T, Doi T. 1964. Stock assessment of pigmy blue whales in the Antarctic. *Norsk Hvalfangst-tidende* 53 (6): 145-167.

Ichihara T. 1981. Review of pygmy blue whale stock in the Antarctic. In, *Mammals in the seas*, vol. III General papers and large cetaceans. Rome, Italy: Food and Agricultural Organization of the United Nations. pp 211-218.

Ichihara T. 1966. The pygmy blue whale, *Balaenoptera musculus brevicauda*, a new subspecies from the Antarctic. In: Norris KS (ed.), *Whales, Dolphins and Porpoises*. Berkeley and LA: Uni Cal. pp 79-113.

Jansen van Vuuren B, Best PB, Roux JP, Robinson TJ. 2002. Phylogeographic population structure in the Heaviside's dolphin (*Cephalorhynchus heavisidii*): conservation implications. *Animal Conservation* 5): 303-307.

Jauniaux T, Fontaine M, Farnir F, Kiszka J, Coignoul F. 2011. Pollutant exposure of cetaceans from the western Indian Ocean: evidence from cytochrome P4501A induction from biopsy samples. *Marine Pollution Bulletin*): 1317-1319.

Jefferson TA, Curry BE, Leatherwood S, Powell JA. 1997. Dolphins and porpoises of West Africa: a review of records (Cetacea: *Delphinidae, Phocoenidae*). *Mammalia* 61 (1): 87-108.

Kaliszewska ZA, Seger J, Rountree VJ, Barco SG, Benegas R, Best. PB, Brown MW, Brownell RLJ, Carribero A, Harcourt R, et al. 2005. Population histories of right whales (Cetacea: *Eubalaena*) inferred from mitochondrial sequence diversities and divergences of their whale lice (Amphipoda: *Cyamus*). *Molecular Ecology* 14): 3439-3456.

Karczmarski L, Cockcroft VG. 1997. Socio-ecology and population biology of humpback dolphins in the Algoa Bay region, South Africa: an overview. *Paper SC/49/SM23 presented to the International Whaling Commission*).

Karczmarski L, Thornton M, Cockcroft VG. 1997. Description of selected behaviours of humpback dolphins *Sousa chinensis*. *Aquatic Mammals* 23): 127-133.

Karczmarski L, Cockcroft VG. 1998. Matrix photo-identification technique applied in studies of free-ranging bottlenose and humpback dolphins. *Aquatic Mammals* 24 (3): 143-147.

Karczmarski L, Cockcroft VG, McLachlan A, Winter PED. 1998. Recommendations for the conservation and management of humpback dolphins *Sousa chinensis* in the Algoa Bay region, South Africa. *Koedoe* 41 (2): 121-129.

Karczmarski L, Cockcroft VG. 1999. Daylight behaviour of humpback dolphins *Sousa chinensis* in Algoa Bay, South Africa. *Zeitschrift fur Saugetierkunde (International Journal of Mammalian Biology)*. 64 (1): 19-29.

Karczmarski L, Cockcroft VG, McLachlan A. 1999a. Group size and seasonal pattern of occurrence of humpback dolphins *Sousa chinensis* in Algoa Bay, South Africa. *South African Journal of Marine Science* 21): 89-97.

Karczmarski L, Winter PED, Cockcroft VG, McLachlan A. 1999b. Population analyses of Indo-Pacific humpback dolphins *Sousa chinensis* in Algoa Bay, Eastern Cape, South Africa. *Marine Mammal Science* 15 (4): 1115-1123.

Karczmarski L, Cockcroft VG, McLachlan A. 2000a. Habitat use and preferences of Indo-Pacific humpback dolphins *Sousa chinensis* in Algoa Bay, South Africa. *Marine Mammal Science* 16 (1): 65-79.

Karczmarski L, Thornton M, Cockcroft VG. 2000b. Daylight occurrence of humpback dolphins *Sousa chinensis* in Algoa Bay, South Africa. *African Journal of Ecology* 38 (1): 86-90.

Kasamatsu F, Hembree D, Joyce GG, Tsunoda L, Rowlett R, Nakano T. 1988. Distribution of cetacean sightings in the Antarctic: results obtained from the IWC/IDCR minke whale assessment cruises, 1978/79 to 1983/84. *Reports of the International Whaling Commission* 38): 449-485.

Kasamatsu F, Nishiwaki S, Ishikawa H. 1995. Breeding areas and southbound migrations of southern minke whales, *Balaenoptera acutorostrata*. *Marine Ecology Progress Series* 119:1-3): 1-10.

Kasamatsu F, Joyce GC, Ensor P, Mermoz J. 1996. Current occurrence of baleen whales in Antarctic waters. *Reports of the International Whaling Commission* 46 (293 - 304).

Kasamatsu F, Ensor P, Joyce GG. 1998. Clustering and aggregations of minke whales in the Antarctic feeding grounds. *Marine Ecology Progress Series* 168): 1-11.

- Kasamatsu F, Matsuoka K, Hakamada T. 2000. Interspecific relationships in density among the whale community in the Antarctic. *Polar Biology* 23): 466-473.
- Kasuya T, Wada S. 1991. Distribution of large cetaceans in the Indian Ocean: data from Japanese sighting records, November-March. In: Leatherwood S, Donovan GP (eds), *Cetaceans and cetacean research in the Indian Ocean sanctuary. Marine Mammal Technical Report No. 3*. Nairobi, Kenya.: UNEP. pp 139-170.
- Keith M, Bester MN, Bartlett PA, Baker D. 2001. Killer whales (*Orcinus orca*) at Marion Island, Southern Ocean. *African Zoology* 36 (2): 161.
- Keith M, Peddemors VM, Bester MN, Ferguson JWH. 2002. Population characteristics of Indo-Pacific humpback dolphins at Richards Bay, South Africa: implications for incidental capture in shark nets. *South African Journal of Wildlife Research* 32 (2): 153-162.
- Keller RW, Leatherwood S, Holt SJ. 1982. Indian Ocean Cetacean Survey, Seychelles' islands, April through June 1980. *Reports of the International Whaling Commission* 32 (503-513).
- Kellogg R. 1929. What is known of the migrations of some of the whalebone whales. *Reports of the Smithsonian Institution* 1928): 467 - 494.
- Kiszka J, Breysse O, Boinali K, Vely M. 2006. Marine mammals around the Union of the Comoros (Mozambique Channel): recent records and review of available information. *Report SC/58/O6 submitted to the Scientific Committee of the International Whaling Commission.*): 5.
- Kiszka J. 2007. Atypical associations between dugongs (*Dugong dugon*) and dolphins in a tropical lagoon. *Journal of the Marine Biological Association, UK* 87): 101-104.
- Kiszka J, Ersts PJ, Ridoux V. 2007. Cetacean diversity around the Mozambique Channel island of Mayotte (Comoros archipelago). *Journal of Cetacean Research and Management* 9 (2): 105-109.
- Kiszka J, Muir C. 2007. Incidental catches of non-targeted marine species in the Western Indian Ocean: problems and mitigation measures. Workshop proceeding. Mayotte, France: Western Indian Ocean Marine Science Association.
- Kiszka J, Muir CE, Amir OA, Cox TM, Bourjea J, Poonian C, Razafindrakoto Y, Wambiji N, Bristol N. 2008a. Marine mammal bycatch in the southwest Indian Ocean: review and need for a comprehensive status assessment. *Western Indian Ocean Journal of Marine Science* 7 (2): 119-136.
- Kiszka J, Pelourdeau D, Ridoux V. 2008b. Body scars and dorsal fin disfigurements as indicators of interactions between small cetaceans and fisheries around the Mozambique

Channel island of Mayotte. *Western Indian Ocean Journal of Marine Science* 7 (2): 185-193.

Kiszka J, Van Bressem MF, Pusineri C. 2009. Lobomycosis-like disease and other skin conditions in Indo-Pacific bottlenose dolphin (*Tursiops aduncus*) from the Indian Ocean. *Diseases of Aquatic Organisms* 84 (2): 151-157.

Kiszka J. 2010. Ecological segregation within a community of tropical delphinids: habitat, resource use and social structure. PhD Thesis. PhD Thesis, University of La Rochelle, La Rochelle, France.

Kiszka J, Ersts PJ, Ridoux V. 2010a. Structure of a toothed cetacean community around a tropical island (Mayotte, Mozambique Channel). *African Journal of Marine Science*. 32 (3): 543-551.

Kiszka J, Simon-Bouhet B, Charlier F, Ridoux V. 2010b. Individual and group behavioral reactions of dolphins to remote biopsy sampling. *Animal Welfare* 19): 411-417.

Kiszka J, Vely M, Breysse O. 2010c. A preliminary account of cetacean diversity and humpback whale (*Megaptera novaeangliae*) group characteristics around the Union of the Comoros (Mozambique Channel). *Mammalia* 74): 51-56.

Kiszka J, Perrin WF, Pusineri C, Ridoux V. in press-a. What drives island-associated tropical dolphins to form mixed-species associations in the southwest Indian Ocean? *Journal of Mammalogy*.

Kiszka J, Simon-Bouhet B, Martinez L, Pusineri C, Ridoux V. in press-b. Ecological niche segregation within a community of sympatric dolphins around a tropical island. *Marine Ecology Progress Series*.

Kitchener D, Ross GJ, Caputi N. 1990. Variation in skull and external morphology in the false killer whale, *Pseudorca crassidens*, from Australia, Scotland and South Africa. *Mammalia* 54(1)): 119-135.

Kruse S, Leatherwood S, Prematunga W, Mendes C, Gamage A. 1991. Records of Risso's Dolphins, *Grampus griseus*, in the Indian Ocean, 1891-1986. In: Leatherwood S, Donovan GP (eds), *Cetaceans and cetacean research in the Indian Ocean sanctuary. Marine Mammal Technical Report No. 3*. Nairobi, Kenya: UNEP. pp 67-77.

Leatherwood JS, Donovan GP. 1991. Cetaceans and Cetacean Research in the Indian Ocean Sanctuary. *Marine Mammal Technical Report 3. United Nations Environment Programme, Nairobi, Kenya*).

Leatherwood S, Todd S, Thomas JA. 1982. Incidental records of cetaceans in southern seas, January and February 1981. *Reports of the International Whaling Commission* 32): 515-520.

Leatherwood S, Reeves R. 1983. *The Sierra Club Handbook of Whales and Dolphins*. San Francisco: Sierra Club Books.

Leatherwood S, Donovan GP. 1990. *Cetaceans and Cetacean Research in the Indian Ocean Sanctuary*. Nairobi, Kenya: United Nations Environment Programme.

Leatherwood S, McDonald D, Prematunga WP, Girton P, Ilangakoon A, McBrearty D. 1990. Records of the Blackfish (killer, false killer, pygmy killer and melon-headed whales) in the Indian Ocean, 1772-1986. In: Leatherwood JS, Donovan GP (eds), *Cetaceans and Cetacean Research in the Indian Ocean Sanctuary*, vol. Marine mammal technical report Number 3. Nairobi, Kenya.: United Nations Environmental Programme. p viii +287.

Leeney RH, Carslake D, Elwen SH. 2011. Using Static Acoustic Monitoring to describe Echolocation Behaviour of Heaviside's Dolphins in Namibia. *Aquatic Mammals* 37 (2): 151-160.

Lillie DG. 1915. Cetacea. British Antarctic ("Terra Nova") Expedition 1910. *Natural History Reports, Zoology* 1 (31): 85-124.

Ljungblad DK, Clark CW, Shimada H. 1998. A comparison of sounds attributed to pygmy blue whales (*Balaenoptera musculus brevicauda*) recorded south of the Madagascar Plateau and those attributed to 'true' blue whales (*Balaenoptera musculus*) recorded off Antarctica. *Reports of the International Whaling Commission* 48): 439-442.

Mackintosh NA, Wheeler JFG, Clowes AJ. 1929. Southern blue and fin whales. *Discovery Reports* 1): 257-540.

Mackintosh NA. 1942. The southern stocks of whalebone whales. *Discovery Reports* 22 (197-300).

Mackintosh NA, Brown SG. 1956. Preliminary estimates of the southern populations of the larger baleen whales. *Norsk Hvalfangst-tidende* 9): 469-480.

Mackintosh NA. 1966a. *The stocks of whales*. London: Fishing News (Books) Ltd.

Mackintosh NA. 1966b. The distribution of southern blue and fin whales. In: Norris KS (ed.), *Whales, dolphins and porpoises*. Berkley: University of California Press. pp 32-61.

MacLeod CD, Bennett E. 2007. Pan-tropical spotted dolphins (*Stenella attenuata*) and other cetaceans around St Helena. *Journal of the Marine Biological Association of the UK* 87): 339-344.

Marcuzzi G, Pilleri G. 1971. On the zoogeography of cetacea *Investigations on Cetacea* 3 (1): 101-170.

- Marques TA, Thomas L, Martin SW, Mellinger DK, Jarvis S, Morrissey RP, Ciminello C-A, DiMarzio N. 2010. Spatially explicit capture–recapture methods to estimate minke whale density from data collected at bottom-mounted hydrophones. *Journal of Ornithology* in press).
- Mate BR, Best PB, Lagerquist BA, Winsor MH. 2011. Coastal, offshore and migratory movements of South African right whales revealed by satellite telemetry. *Marine Mammal Science* 27 (3): 455-476.
- Matsuoka K, Ensor O, Hakamada T, Shimada H, Nishiwaki S, Kasamatsu F, Kato H. 2003. Overview of minke whale sightings surveys conducted on IWC/IDCR and SOWER Antarctic cruises from 1978/79 to 2000/01. *Journal of Cetacean Research and Management* 5): 173-201.
- Matthews LH. 1938a. The sei whale, *Balaenoptera borealis*. *Discovery Reports* 17): 183-290.
- Matthews LH. 1938b. The sperm whale *Physeter catodon*. *Discovery Reports* 17): 93-168.
- Matthews LH. 1938c. The humpback whale, *Megaptera nodosa*. *Discovery Reports* 17): 7-92.
- McCann C, Talbot FH. 1963. The occurrence of True's beaked whale (*Mesoplodon mirus*) in South African waters, with a key to South African species of the genus. . *Proceedings of the Linnaean Society, London* 175 (2): 137-142.
- McLachlan GR, Liversidge R, Tietz RM. 1966. A record of *Beradius arnouxi* [sic] from the south-east coast of South Africa. *Annals of the Cape Province Museum (Nat. Hist.)* 5): 91-100.
- Meÿer MA, Best PB, Anderson-Reade M, Cliff G, Dudley S, Kirkman SP. 2011. Trends and interventions in large whale entanglements along the South African coast. *African Journal of Marine Science* 33 (3): XXX.
- Michel C, Van Bree PJH. 1976. On two strandings of the beaked whale *Mesoplodon densirostris* on Mauritius. *Z. Säugetierkd.* 41 (3): 194-196.
- Mikhalev JA, Savusin VP, Kishiyana NA, Ivashin MV. 1981a. To the problem of the feeding of sperm whales from the Southern Hemisphere. *Reports of the International Whaling Commission* 31): 737-745.
- Mikhalev YA, Ivashin MV, Savusin VP, Zelenaya FE. 1981b. The distribution and biology of killer whales in the Southern Hemisphere. *Reports of the International Whaling Commission* 31 (551-566).

- Miller CA, Reeb D, Best PB, Knowlton AR, Brown MW, Moore MJ. 2011. Blubber thickness and its relationship with reproduction, life history status and possibly prey abundance in right whales *Eubalaena glacialis* and *Eubalaena australis*. *Marine Ecology Progress Series* 438): 267-283.
- Miyazaki N, Hidehiro K. 1988. Sighting records of small cetaceans in the southern hemisphere. *Bulletin of the National Science Museum Series A (Zoology)* 14 (1): 47-65.
- Miyazaki N. 1989. Notes on the school composition of killer whales in the southern hemisphere. *Bulletin of the National Science Museum* 15(1)): 53-59.
- Moore J, Cox T, Lewison R, Read AJ, Bjorkland R, McDonald S, Cordwer L, Aruna E, Ayissi I, Espeut P, et al. 2010. An interview-based approach to assess marine mammal and sea turtle captures in artisanal fisheries. *Biological Conservation* 143): 195-805.
- Moore JC. 1963. The goosebeak whale. Where in the world ? Bull. Chgonat Hist Mus. 34 (2) : 2-3, 8. *Bulletin of the Chicago Natural History Musem* 34 (2): 2-3,8.
- Morch JA. 1911. On the history of whale-bone whales. *Proceedings of the Royal Society of London* 1911): 661-667.
- Mori M, Butterworth DS, Brandão A, Rademeyer RA, Okamura H, Matsuda H. 2003. Observer experience and Antarctic minke whale sighting ability in IWC/IDCR-SOWER surveys. *Journal of Cetacean Research and Management* 5 (1): 1-11 Appendix 11.
- Morisaka T, Karczmarski L, Akamatsu T, Sakai M, Dawson S, Thornton M. 2011. Echolocation signals of Heaviside's dolphins (*Cephalorhynchus heavisidii*). *The Journal of the Acoustical Society of America* 129 (1): 449-457.
- Mörzer Bruyns WFJ. 1971. *Field guide of whales and dolphins*. Amsterdam, the Netherlands.
- Mouton M, Reeb D, Botha A, Best PB. 2009. Yeast infection in a beached southern right whale (*Eubalaena australis*) neonate. *Journal of Wildlife Diseases* 45 (3): 692-699.
- Murase Hea. 2002. Relationships between the distribution of euphausiids and baleen whales in the Antarctic (35 degrees E - 145 degrees W). *Polar Biology* 25 (6): 135-145.
- Mwevuraa H, Amir OA, Kishimbaa M, Berggren P, Kylin H. 2010. Organohalogen compounds in blubber of Indo-Pacific bottlenose dolphin (*Tursiops aduncus*) and spinner dolphin (*Stenella longirostris*) from Zanzibar, Tanzania. *Environmental Pollution* 158 (6): 2200-2207.
- Natoli A, Peddemors VM, Hoelzel AR. 2004. Population structure and speciation in the genus *Tursiops* based on microsatellite and mitochondrial DNA analyses. *Journal of Evolutionary Biology* 17 (2): 363-375.

- Natoli A, Peddemors VM, Hoelzel AR. 2007. Population structure of bottlenose dolphins (*Tursiops aduncus*) impacted by bycatch along the east coast of South Africa. *Conservation Genetics* 9 (3): 627-636.
- Nemoto T, Best P, Ishimaru K, Takano H. 1980. Diatom films on whales in South African waters. *The Scientific Reports of Whales Research Institute* 32): 97-103.
- Nishiwaki M, Oye T. 1948. Biological investigation on blue whales (*Balaenoptera musculus*) and fin whales(*Balaenoptera physalus*) caught by the Japanese Antarctic whaling fleets. *Scientific Reports of the Whales Research Institute, Tokyo* 5): 91-167.
- Noel M, Barrett-Lennard L, Guinet C, Dangerfield N, Ross PS. 2009. Persistent organic pollutants (POPs) in killer whales (*Orcinus orca*) from the Crozet Archipelago, southern Indian Ocean. *Marine Environmental Research* 68 (4): 196-202.
- O'Donoghue SH, Drapeau L, Peddemors VM. 2010a. Broad-scale distribution patterns of sardine and their predators in relation to remotely sensed environmental conditions during the KwaZulu-Natal sardine run. *African Journal of Marine Science* 32 (2): 279-291.
- O'Donoghue SH, Whittington PA, Dyer BM, Peddemors VM. 2010b. Abundance and distribution of avian and marine mammal predators of sardine observed during the 2005 KwaZulu-Natal sardine run survey. *African Journal of Marine Science* 32 (2): 361-374.
- Ohland DP, Harley EH, Best PB. 1995. Systematics of cetaceans using restriction site mapping of mitochondrial DNA. *Molecular Phylogenetics and Evolution* 4 (1): 10-19.
- Ohsumi S, Masaki Y. 1972. Status of stocks of baleen whales in the Antarctic. 1971/72. *Reports of the International Whaling Commission* 22): 60-68.
- Olsen Ø. 1913. On the external characters and biology of Bryde's whale (*Balaenoptera brydei*), a new rorqual from the coast of South Africa. *Proceedings of the Zoological Society of London* 1913): 1073-1090.
- Olsen Ø. 1914. Hvaler og hvalfangst I Sydafrika. *Bergens Museums Arbok* 1914-1915 (5): 3-56.
- Ommanney F. 1971. *Lost Leviathan*. Palmerston North, NZ: SeaBreeze Books.
- Omura H. 1973. A review of pelagic whaling operations in the Antarctic based on the effort and catch data in 10° squares of latitude and longitude. *Scientific Reports of the Whales Research Institute of Japan* 25): 105-203.
- Patenaude NJ, Portway VA, Schaeff CM, Bannister JL, Best PB, Payne RS, Rountree VJ, Rivarola M, Baker CS. 2007. Mitochondrial DNA diversity and population structure among southern right whales (*Eubalaena australis*). *Journal of Heredity* 98 (2): 147-157.

- Paulian P. 1953. Pinnipèdes, cétacés et oiseaux des îles Kerguelen et Amsterdam. *Mémoires de l'Institut Scientifique de Madagascar* Série A 8): 111-234.
- Peddemors V, de Muelenaere H, Devchand K. 1989a. Comparative milk composition of the bottlenosed dolphin (*Tursiops truncatus*), humpback dolphin (*Sousa plumbea*) and common dolphin (*Delphinus delphis*) from southern African waters. *Comparative Biochemistry and Physiology* 94A(4): 639-642.
- Peddemors V, Fothergill M, Cockcroft V. 1992. Feeding and growth in a captive-born bottlenose dolphin, *Tursiops truncatus*. *South African Journal of Zoology* 27(2)): 74-80.
- Peddemors VM, Ross GJB. 1988. First record of the melon-headed whale *Peponocephala electra* (Gray, 1846) for the East African coast. *African Journal of Ecology* 26): 345-346.
- Peddemors VM, De Muelenaere HJH, Devchand K. 1989b. Comparative milk composition of the bottlenosed dolphin (*Tursiops truncatus*), humpback dolphin (*Sousa plumbea*) and common dolphin (*Delphinus delphis*) from southern African waters. *Comparative Biochemistry and Physiology* 94 (A): 639-641.
- Peddemors VM. 1993a. Use of commercial flights to census inshore marine mammals off Natal, South Africa. *Lammergeyer* 42): 43-47.
- Peddemors VM. 1993b. Bottlenose dolphins *Tursiops truncatus* research in Natal, South Africa: A review. *Lammergeyer* 42 (1): 24-34.
- Peddemors VM, Thompson G. 1994. Beaching behaviour during shallow water feeding by humpback dolphins *Sousa plumbea*. *Aquatic Mammals* 20 (2): 65-67.
- Peddemors VM, Cockcroft VG, Best PB. 1997. Exploitation of small cetaceans off South Africa:1978-1996. *Paper SC/49/SM34 presented to the IWC Scientific Committee*): 13.
- Peddemors VM. 1999. Delphinids of southern africa. A review of their distribution, status and life history. *Journal of Cetacean Research and Management* 1 (2): 157-166.
- Peddemors VM, Cockcroft VG, Wilson RB. 1991. Incidental dolphin mortality in the Natal shark nets: A report on prevention measures. In: Leatherwood JS, Donovan GP (eds), *Cetaceans and Cetacean Research in the Indian Ocean Sanctuary*. Nairobi: United Nations Environment Programme, Marine Mammal Technical Report No. 3. pp 129-138.
- Peddemors VM, Cockcroft VG. 1995. Fish distribution and its importance for dolphins off the south-west Indian Ocean. In: Okemwa E, Ntiba MJ, Sherman K (eds), *Large Marine Ecosystems of the Indian Ocean: Assessment, Monitoring and Management Strategies*. . Gland, Switzerland: Marine Conservation and Development Reports. IUCN. p vi + 75.

Penry G, Hammond PS, Cockcroft VG. 2011. Seasonal fluctuations in the occurrence of South African Bryde's whales. *African Journal of Marine Science* 33 (3): XXX.

Perrin WF, Best PB, Dawbin WH, Balcomb KC, Gambell R, Ross GJB. 1973. Rediscovery of Fraser's dolphin *Lagenodelphis hosei*. *Nature, Lond.* 241 (5388): 345-350.

Perrin WF. 1985. The former dolphin fishery at St Helena. *Report of the international Whaling Commission* 35): 423-428.

Perrin WF. 2007. The South African Species Gate. In: Best PB (ed.), *Whales and Dolphins of the Southern African Subregion*. Cape Town, South Africa: Cambridge University Press.

Peters WCH. 1876. *Mittheilung über die con SMS Gazelle gesammelten Saugierthiere aus den Abtheilung der Nager Hufthiere. Sirenen Cetaceen und Beuteltheire. Mber. Akad. Wiss. Berlin.*

Photopoulou T, Best PB, Hammond PS, Findlay KP. 2011. Movement patterns of coastal dolphins in the presence of a strong current: shore-based observations at Cape Vidal, South Africa. *African Journal of Marine Science* 33 (3): XXX.

Pichler F, Robineau D, Goodall RNP, Meyer MA, Olicarra C, Baker CS. 2001. Origin and radiation of southern hemisphere coastal dolphins (genus *Cephalorhynchus*). *Molecular Ecology* 10 (9): 2215-2223.

Pistorius PA, Taylor FE, Louw C, Hanise B, Bester MN, Dewet C, Du Plooy A, Green N, Klasen S, Podile S, et al. 2002. Distribution, movement, and estimated population size of killer whales at Marion Island, December 2000. *South African Journal of Wildlife Research* 32): 86-92.

Pitman RL, Ensor P. 2003. Three forms of killer whales (*Orcinus orca*) in Antarctic waters. *Journal of Cetacean Research and Management* 5): 131-139.

Pitman RL, Van Helden A, Best PB, Pym A. 2006. Shepherd's beaked whale (*Tasmacetus shepherdi*): information on appearance and biology based on strandings and at-sea observations. *Marine Mammal Science* 22 (3): 744-755.

Pomilla C, Rosenbaum HC. 2005. Against the current: an inter-oceanic whale migration event. *Biology Letters* 1): 476-479.

Pomilla C, Rosenbaum HC. 2006. Estimates of relatedness in groups of humpback whales (*Megaptera novaeangliae*) on two wintering grounds of the Southern Hemisphere. *Molecular Ecology* 15 (2541-2555).

Poncelet E, Barbraud C, Guinet C. 2010. Population dynamics of killer whales in Crozet Archipelago, southern Indian Ocean: exploiting opportunistic and protocol-based

photographs in a mark-recapture study. *Journal of Cetacean Research and Management* 11): 41-48.

Pusineri C, Quillard M. 2009. Bycatch and direct captures of protected megafauna by the artisanal coastal fishery of Mayotte. *Western Indian Ocean Journal of Marine Science* 7 (2): 195-206.

Racey PA, Nicoll ME. 1984. Mammals of the Seychelles. In: Stoddart DR (ed.), *Biogeography and ecology of the Seychelles Islands*. Lancaster: Junk Publishers. pp 607-626.

Rakotonarina B, Cockcroft VG, Kroese M, Vely M. 1994. Status and exploitation of Madagascar's coastal resources. *Sirennews*. 22): 6-10.

Rayner GW. 1940. Whale marking: progress and results to December 1939. *Discovery Reports* 19 (245-284).

Razafindrakoto Y, Andrianarivelo N, Rosenbaum HC. 2004. Sightings, catches, and other records of Indo-Pacific humpback dolphins in the coastal waters of Madagascar. *Aquatic Mammals* 30 (1): 103-110.

Read AJ, Drinker P, Northridge S. 2006. Bycatch of marine mammals in U.S. and global fisheries. *Conservation Biology* 20): 163-169.

Reeb D, Best PB. 1999. Anatomy of the laryngeal apparatus of the pygmy right whale, *Caperea marginata* (Gray, 1846). *Journal of Morphology* 242 (1): 67-81.

Reeb D, Duffield M, Best PB. 2005. Evidence of post-natal ecdysis in southern right whales, *Eubalaena australis*. *Journal of Mammalogy* 86 (1): 131-138.

Reeb D, Best PB. 2006. A biopsy system for deep-core sampling of the blubber of southern right whales, *Eubalaena australis*. *Marine Mammal Science* 22 (1): 207-214.

Reeb D, Best PB, Kidson S. 2007. Structure of the integument of southern right whales, *Eubalaena australis*. *Anatomical Records* 290): 596-613.

Reeb D, Best PB, Botha A, Cloete KJ, Thornton M, Mouton ML. 2010. Fungi associated with the skin of a southern right whale (*Eubalaena australis*) from South Africa. *Mycology* 1 (3): 155-162.

Reisinger RR, Karczmarski L. 2010. Population size estimate of Indo-Pacific bottlenose dolphins in the Algoa Bay region, South Africa. *Marine Mammal Science* 26 (1): 86-97.

Reisinger RR, de Bruyn PJN, Bester MN. in press. Prey and seasonal abundance of killer whales at subantarctic Marion Island. *African Journal of Marine Science*.

Rice EH, Saayman GS. 1984. Movements and behaviour of Heaviside's dolphins (*Cephalorhynchus heavisidii*) off the western coasts of southern Africa. *Investigations of Cetacea* 16): 4-63.

Rice EH, Saayman GS. 1987. Distribution and behaviour of killer whales (*Orcinus orca*) off the coasts of southern Africa. *Investigations of Cetacea* 20): 231-250.

Richards R, Du Pasquier T. 1989. Bay whaling of southern Africa c. 1785-1805. *South African Journal of Marine Science* 8): 231-250.

Risting S. 1912. Knolhvalen (Translation in Hinton, M.A.C. 1925. Report on the papers left by the late Major Barrett-Hamilton, relating to the whales of South Georgia. Crown Agents for the Colonies, London : 57 - 209). *Norsk FiskTid.* 31): 437-449.

Robineau D. 1975. Echouage d'un *Ziphius cavirostris* Cuvier, 1823 (Cetacea, Hyperoodontidae) dans l'Archipel de Comores (Ocean Indien). *Mammalia* 39 (3): 513-515.

Robineau D. 1984a. Morphologie externe et pigmentation du dauphin de Commerson, *Cephalorhynchus commersonii* (Lacepede, 1804), en particulier celui des îles Kerguelen (External morphology and pigmentation of Commerson's dolphin, *Cephalorhynchus commersonii*). *Canadian Journal of Zoology* 62 (12): 2465-2475.

Robineau D. 1984b. Über den Sudlichen Glattwal, *Eubalaena glacialis australis* (Desmoulin, 1822) bei den Kerguelen-Inseln. *Saugetierkundliche Mitteilungen* 31): 205-207.

Robineau D, Duhamel G. 1984. Regime alimentaire du dauphin de Commerson *Cephalorhynchus commersonii* (Lacepede, 1804) aux îles Kerguelen, pendant l'ete austral. *Bulletin du Museum National D'Histoire Naurelle Secion A Zoologie et Ecologie Animaels* 6 (2): 551-559.

Robineau D. 1985a. Données Préliminaires sur la répartition du dauphin de commerson *Cephalorhynchus commersonii* aux îles Kerguelen, en Particulier dans le Golfe du Morbihan. (Preliminary information on the distribution of Commersons dolphin, *Cephalorhynchus commersonii* from the Kerguelen Islands, especially the Gulf of Morbihan). *Biological Conservation* 31 (1): 85-93.

Robineau D. 1985b. Relation de la peche de la baleine a la cote d'Afrique. *Annales De La Societe Des Sciences Naturelles De La Charente-Maritime* 7 (3): 365-376.

Robineau D, De Buffrénil V. 1985. Données ostéologiques et ostéométriques sur le dauphin de Commerson, *Cephalorhynchus commersonii* (Lacépède, 1804), en paticulier celui des îles Kerguelen. *Mammalia* 49 (1): 109-123.

Robineau D. 1986. Valeur adaptative des caracteres morphologiques distinctifs (taille et pigmentation) d'une population isolee d'un dauphin subantarctique, *Cephalorhynchus*

commersonii (Lacepede, 1804). (Adaptive significance of population-specific morphological characters of an isolated population of subantarctic dolphin, *Cephalorhynchus commersonii*. *Mammalia* 50 (3): 357-368.

Robineau D. 1989. Les cétacés des îles Kerguelen. *Mammalia* 53): 265-278.

Robineau D. 2001. Origin and radiation of southern hemisphere coastal dolphins (genus *Cephalorhynchus*). *Molecular Ecology* 10 (9): 2215-2223.

Robineau D, Duhamel G. 2006. Nouvelles données sur les cétacés des îles Kerguelen. (New data on cetaceans of the Kerguelen Islands). *Mammalia* 70 (1-2): 28-39.

Robineau D, Goodall RNP, Pichler F, Baker CS. 2007. Description of a new subspecies of Commerson's dolphin, *Cephalorhynchus commersonii* (Lacépède, 1804), inhabiting the coastal waters of the Kerguelen Islands. *Mammalia* 71 (4): 172-180.

Robineau D. 1991. Balaenopterid sightings in the Western Tropical Indian Ocean (Seychelles area), 1982-1986. In: Leatherwood JS, Donovan GP (eds), *Cetaceans and Cetacean Research in the Indian Ocean Sanctuary. Marine Mammal Technical Report 3*. Nairobi, Kenya.: United Nations Environment Programme. pp 171-179.

Roche C, Gasco N, Duhamel G, Guinet C. 2007. Marine mammals and demersal long line fishery interactions in Crozet and Kerguelen Exclusive Economic Zones: an assessment of the depredation level. *CCAMLR Science* 14): 67-82.

Roe HSJ. 1967. The rate of lamina formation in the ear plug of the fin whale. *Norsk Hvalfangst-tidende* 56 (2): 41-43.

Rorvik C. 1980. Whales and whaling off Mozambique. *Reports of the International Whaling Commission* 30): 223-225.

Rose B, Payne AI. 1991. Occurrence and behavior of the southern right whale dolphin, *Lissodelphis peronii*, off Namibia. *Marine Mammal Science* 7(1)): 25-34.

Rosenbaum HC, Walsh PD, Razafindrakoto Y, Vely M, DeSalle R. 1997. First description of a humpback whale breeding ground in Baie d'Antongil, Madagascar. *Conservation Biology* 11): 312-314.

Rosenbaum HC, Brownell Jr. RL, Brown MW, Schaeff C, Portway V, White BN, Malik S, Pastene LA, Patenaude NJ, Baker CS, et al. 2000. World-wide genetic differentiation of *Eubalaena*: questioning the number of right whale species. *Molecular Ecology* 9): 1793-1802.

Rosenbaum HC, Collins T. 2006. The ecology, population characteristics and conservation efforts for humpback whales (*Megaptera novaeangliae*) on their wintering grounds in the coastal waters of Gabon. *Bulletin of the Biological Society of Washington* 12): 425-433.

Rosenbaum HC, Pomilla C, Mendez M, Leslie MS, Best PB, Findlay KP, Minton G, Ersts PJ, Collins T, Engel MH, et al. 2009. Population structure of humpback whales from their breeding grounds in the South Atlantic and Indian Oceans. *PLoS ONE* 4): e7318. .

Rosenbaum HC. 2003. Marine mammals of Madagascar. In: Goodman S, Bengston J (eds), *The Natural History of Madagascar*. Chicago, Illinois: University of Chicago Press. pp 213-216.

Ross GJB. 1969a. Evidence for a southern breeding population of True's beaked whale. *Nature, Lond.* 222): 585.

Ross GJB. 1969b. An unusual stranding of a southern right whale, *Eubalaena glacialis* at Plettenberg Bay. *East Cape Nat* 37): 28-29.

Ross GJB. 1970. The occurrence of Hector's beaked whale *Mesoplodon hectori* (Gray) in South African waters. *Ann. Cape Prov. Mus. (Nat. Hist.)* 8 (13): 195-204.

Ross GJB. 1971. A note on early whaling at the Cape of Good Hope. *Africana Notes and News* 19): 300-302.

Ross GJB, Bass AJ. 1971. Shark attack on an ailing dolphin *Stenella coeruleoalba* (Meyen). *South African Journal of Science* 67): 413-414.

Ross GJB, Tietz RM. 1972. Records of Cuvier's beaked whales from South Africa. *Annals of the Cape Provincial Museum (Natural History)* 7): 1-10.

Ross GJB, Best PB, Donnelly BG. 1975. New records of the pygmy right whale (*Caperea marginata*) from South Africa, with comments on distribution, migration, appearance and behaviour. *J. Fish. Res. Bd Can.* 32): 1005-1017.

Ross GJB. 1977. The taxonomy of bottlenose dolphins, *Tursiops* species in South African waters, with notes on their biology. *Annals of the Cape Province Museum (Nat. Hist.)* 11 (9): 135-194.

Ross GJB, Shaughnessy PD, Best PB. 1978. New records of crabeater seals (*Lobodon carcinophagus*) from South Africa. *Annals of the South African Museum* 75(6)): 153-158.

Ross GJB. 1979. Records of pygmy and dwarf sperm whales, genus *Kogia*, from southern Africa, with biological notes and some comparisons. *Annals of the Cape Province Museum (Nat. Hist.)* 11 (14): 259-327.

Ross GJB. 1984. The smaller cetaceans of the south east coast of southern Africa. *Ann. Cape Prov. Mus. (Nat. Hist)* 15): 173-410.

- Ross GJB, Cockcroft VG, Cliff G. 1985. Additions to the marine mammal faunas of South Africa and Natal. *Lammereyer* 35): 36-40.
- Ross GJB. 1986. Fossil beaked whales. *Nat. Geog. Res* 2): 275.
- Ross GJB, Cockcroft VG, Butterworth DS. 1987. Offshore distribution of bottlenosed dolphins in Natal coastal waters and Algoa Bay, eastern Cape. *South African Journal of Zoology* 22 (1): 50-56.
- Ross GJB, Cockcroft VG, Melton DA, Butterworth DS. 1989. Population estimates for bottlenose dolphins *Tursiops truncatus* in Natal and Transkei waters. *South African Journal of Marine Science* 8): 119-130.
- Ross GJB, Cockcroft VG. 1990a. Comments on Australian bottlenose dolphins and the taxonomic status of *Tursiops aduncus* (Ehrenberg, 1832). In: Leatherwood JS, Reeves RR (eds), *The Bottlenose Dolphin*. New York: Academic Press. pp 101-128.
- Ross GJB, Cockcroft VG. 1990b. Comments on Australian Bottlenose dolphins and the taxonomic status of *Tursiops aduncus* (Ehrenberg, 1832). In: Leatherwood S, Reeves RR (eds), *The Bottlenose Dolphin*. London: Academic Press, Inc. pp 101-128.
- Ross GJB, Best PB. 1988. Smaller Whales and Dolphins. In: Payne AIL, Crawford RJM (eds), *Oceans of Life off Southern Africa*. Vlaeberg, Cape Town. pp 303-314.
- Ross GJB. 2002. Humpback Dolphins *Sousa chinensis*, *S. plumbea* and *S. teuzii*. In: Perrin WF, Würsig B, Thewissen JGM (eds), *The Encyclopedia of Marine Mammals*. San Diego: Academic Press. pp 585-589.
- Ross GJB, Heinsohn GE, Cockcroft VG. 1994. Humpback Dolphins *Sousa chinensis* (Osbeck, 1765), *Sousa plumbea* (G. Cuvier, 1829) and *Sousa teuzii* (Kukenthal, 1892). In: Ridgway SH, Harrison R (eds), *Handbook of Marine Mammals*, vol. 5. New York: Academic Press. pp 23-42.
- Ross GJB, Leatherwood JS. 1994. The Pygmy Killer Whale *Feresa attenuata* Gray, 1874. In: Ridgway SH, Harrison RJ (eds), *Handbook of Marine Mammals*, vol. 5. London: Academic Press. pp 387-404.
- Roux J-P. 1986. Le cycle annuel d'abundance des orques, *Orcinus orca*, aux îles Saint-Paul et Amsterdam. *Mammalia* 50 (1): 5-8.
- Roux J-P, Best PB, Stander PE. 2001. Sightings of southern right whales (*Eubalaena australis*) in Namibian waters, 1971-1999. *Journal of Cetacean Research and Management* (Special Issue 2): 181-185.
- Ruud JT. 1952. Catches of Bryde-whale off French equatorial Africa. *Norsk Hvalfangsttidende* 12): 662-663.

- Saayman G, Tayler C. 1973. Social organisation of inshore dolphins (*Tursiops aduncus* and *sousa*) in the Indian Ocean. *Journal of Mammalogy* 54(4): 993-996.
- Saayman GS, Bower D, Tayler CK. 1972. Observations on inshore and pelagic dolphins on the South-Eastern Cape Coast of South Africa. *Koedoe* 15): 1-24.
- Saayman GS, Tayler CK, Bower D. 1973. Diurnal activity cycles in captive and free-ranging Indian Ocean bottlenose dolphins (*Tursiops aduncus*, Ehrenburg). *Behaviour* 44): 212-233.
- Saayman GS, Tayler CK. 1979. The socioecology of humpback dolphins (*Sousa* spp.). In: Winn HE, Olla BL (eds), *Behaviour of Marine Animals*. . New York: Plenum Press. pp 165-226.
- Samaai T, Best PB, Gibbons MJ. 2005. The taxonomic status of common dolphins *Delphinus* spp. in South African waters. *African Journal of Marine Science* 27 (2): 449-458.
- Samaran F, Adam O, Motsch JF, Guinet C. 2008. Definition of the Antarctic and pygmy blue whale call templates. Application to fast automatic detection. *Canadian Acoustics* 36 (1): 93-102.
- Samaran F, Adam O, Guinet C. 2010a. Discovery of a mid-latitude sympatric area for two Southern Hemisphere blue whale subspecies. *Endangered Species Research*. 12): 157-165.
- Samaran F, Guinet C, Adam O, Motsch JF. 2010b. Detection range modelling of blue whale calls in the Southwestern Indian Ocean. *Applied Acoustics* 71): 1099-1106.
- Samaran F, Guinet C, Adam O, Motsch JF, Cansi Y. 2010c. Source level estimation of two blue whale subspecies in southwestern Indian Ocean. *Journal of the Acoustical Society of America*. 127 (6): 3800-3808.
- Särnblad A, Danblot M, Dalen L, Amir OA, Berggren P. 2010. Phylogenetic placement and population structure of Indo-Pacific bottlenose dolphins (*Tursiops aduncus*) off Zanzibar, Tanzania, based on mtDNA sequences. *Marine Mammal Science* 27 (2): 431-448.
- Schaeff CM, Best PB, Rowntree VJ, Payne R, Jarvis C, Portway VA, Rivarola M. 1999. Dorsal skin color patterns among southern right whales (*Eubalaena australis*): genetic basis and evolutionary significance. *Journal of Heredity* 90 (4): 564-471.
- Sekiguchi I, Olavarria C, Morse L, Olson P, Ensor P, Matsuoka K, Pitman RL, Findlay K, Gorter U. 2006. The spectacled porpoise (*Phocoena dioptrica*) in Antarctic waters. *Journal of Cetacean Research and Management* 8): 265-271.

Sekiguchi K, Best PB, Kaczmaruk BZ. 1992a. New information on the feeding habits and baleen morphology of the pygmy right whale, *Capera marginata*. *Marine Mammal Science* 8(3): 288-293.

Sekiguchi K, Klages NTW, Findlay KP, Best PB. 1993. Feeding habits and possible movements of southern bottlenose whales (*Hyperoodon planifrons*). *Proceedings of the National Institute of Polar Research Symposium on Polar Biology*. 6): 84-97.

Sekiguchi K, Klages NTW, Best PB. 1996. The diet of strap-toothed whales (*Mesoplodon layardii*). *Journal of Zoology, London* 239): 453-463.

Sekiguchi K, Best PB. 1997. In vitro digestibility of some prey species of dolphins. *Fishery Bulletin* 95(2): 386-393.

Sekiguchi K, Klages NTW, Best PB. 1992b. Comparative analysis of the diets of smaller odontocete cetaceans along the coast of southern Africa. In: Payne AIL, Brink KH, Mann KH, Hillborn R (eds), *Benguela Trophic Functioning*, vol. 12: South African Journal of Marine Science pp 843-861.

Skinner JD, Smithers RHN. 1990. The mammals of the southern African subregion. Pretoria, South Africa, University of Pretoria.

Smale MJ, Klages NTW, David JHM, Cockcroft VG. 1994. Predators of the Agulhas Bank. *South African Journal of Science* 90 (3): 135-142.

Smith A. 1835. An epitome of African Zoology; or, a concise description of the objects of the animal kingdom inhabiting Africa, its islands and seas. *South African Quarterly Journal* 2).

Smithers RHN. 1938. Notes on the stranding of a school of *Pseudorca crassidens* at Berg River mouth, December 27, 1936. . *Trans. R. Soc. S. Afr.* 25 (4): 403-411.

Smithers RHN. 1983. The Mammals of the Southern African Subregion. Pretoria, South Africa, University of Pretoria.

Stensland E, Berggren P, Johnstone R, Jiddawi N. 1998. Marine mammals in Tanzanian waters: urgent need for status assessment. *Ambio* 27): 771-774.

Stensland E, Angerbjorn A, Berggren P. 2003. Mixed species groups in mammals. *Mammal Review* 33 (3): 205-223.

Stensland E, Carlen I, Sarnblad A, Bignert A, Berggren P. 2006. Population size, distribution, and behavior of Indo-Pacific bottlenose (*Tursiops aduncus*) and humpback (*Sousa chinensis*) dolphins off the south coast of Zanzibar. *Marine Mammal Science* 22 (3): 667-682.

- Stensland E, Berggren P. 2010. Behavioural changes of nursing female Indo-Pacific bottlenose dolphins in response to boat based tourism. *Marine Ecology Progress Series* 332): 225-234.
- Stewart BS, Leatherwood S. 1985. Minke Whale, *Balaenoptera acutorostrata Lacepede*, 1804. In, *Handbook of Marine Mammals*, vol. 3. London: Academic Press Inc. pp 91-136.
- Talbot EH. 1960. True's beaked whale from the south east coast of South Africa. *Nature, Lond.* 186 (4722): 406.
- Tayler CK, Saayman GS. 1972. The social organisation and behaviour of dolphins (*Tursiops truncatus*) and baboons (*Papio ursinus*): Some comparisons and assessments. *Annals of the Cape Province Museum (Nat. Hist.)* 9 (2): 11-49.
- Tayler CK, Saayman GS. 1973. Imitative behaviour by Indian Ocean bottlenose dolphins (*Tursiops aduncus*) in captivity. *Behaviour* 44 (3-4): 286-298.
- Thompson WW. 1913. *The Sea Fisheries of the Cape Colony from van Riebeek's day to the eve of the Union*. Cape Town, South Africa: T. Maskew Miller.
- Tietz RM. 1963. A record of the speckled dolphin from the south-east coast of South Africa. *Annals of the Cape Province Museum (Nat. Hist.)* 3): 68-74.
- Tietz RM, Tayler CK. 1964. Dolphin Talk. *Scientific South Africa* (August 1964): 385-390.
- Tietz RM. 1966. The southern bottlenose whale *Hyperoodon planifrons* from Humewood, Port Elizabeth. *Annals of the Cape Province Museum (Nat. Hist.)* 5): 101-107.
- Tixier P, Gasco N, Duhamel G, Vivant M, Authier M, Guinet C. 2010a. Interactions of Patagonian toothfish fisheries with killer and sperm whales in the Crozet islands Exclusive Economic Zone: an assessment of depredation levels and insights on possible mitigation strategies. *CCAMLR Science* 17): 179-195.
- Tixier P, Gasco N, Roche C, Guinet C. 2010b. *Killer whales of the Crozet Islands. Photo-Identification Catalogue 2010*: Centre d'Etudes Biologiques de Chizé - CNRS, 79360 Beauvoir sur Niort, CEBC-CNRS 2010.
- Tønnessen JN, Johnsen A. 1982. *The history of modern whaling (Transl. from Norwegian by RI Christophersen)*. Berkley and Los Angeles: University of California Press.
- Tormosov DD, Budylenko GA, Sazhinov EG. 1980. Biocenological aspects in the investigations of sea mammals. *Paper SC/32/02 presented to the Scientific Committee of the International Whaling Commission, Cambridge, July 1980.*): 9.

- Tormosov DD, Ikhaliy YAM, Best PB, Zemsky VA, Sekiguchi K, Brownell RLJ. 1998. Soviet catches of southern right whales *Eubalaena australis*, 1951 -1971. Biological data and conservation implication. *Biological Conservation* 86 (): 185-197.
- Tosh CA, de Bruyn PJN, Bester MN. 2008. Preliminary analysis of the social structure of killer whales, *Orcinus orca*, at subantarctic Marion Island. *Marine Mammal Science* 24 (4): 929-940.
- Townsend CH. 1935. The distribution of certain whales as shown by logbook records of American whalerships. *Zoologica* 19): 1-50 + 56 maps.
- True FW. 1889. Contributions to the natural history of the cetaceans: a review of the family *Delphinidae*. *Bulletin of the United States National Museum* 36): 285pp.
- True FW. 1914. On *Tursiops catalania* and other existing species of bottlenose porpoises of that genus. *Annals of the Durban Museum* 1 (1): 10-24.
- Tynan CT. 1997. Cetacean distribution and oceanographic features near the Kerguelen Plateau. *Geophysical Research Letters* 24 (22): 2793-2796.
- Uys CJ, Best PB. 1966. Pathology of lesions observed in whales flensed at Saldanha Bay, South Africa. *Journal of Comparative Pathology* 76): 407-412.
- van Bree PJG, Best PB, Ross GJB. 1978. Occurrence of the two species of pilot whales (genus *Globicephala*) on the coast of South Africa. *Mammalia* 42 (3): 323-328.
- van Bree PJH. 1966. On a skull of *Tursiops aduncus* (Ehrenberg, 1833) (Cetacea, Delphinidae) found at Mossel Bay, South Africa in 1904. *Annals of the Natal Museum* 18 (2): 425-427.
- van Bree PJH, Purves PE. 1972. Remarks on the validity of *Delphinus bairdii* (Cetacea, Delphinidae). *Journal of Mammalogy* 53): 372-374.
- van Waerebeek K, van Bree PJH, Best PB. 1995. On the identity of *Prodelphinus petersii* Lutken, 1889 and records of dusky dolphins *Lagenorhynchus obscurus* (Gray, 1828) from the southern Indian and Atlantic Oceans. *South African Journal of Marine Science* 16): 25-35.
- van Waerebeek K, Goodall RNP, Best PB. 1997. A note on evidence for pelagic warm-water dolphins resembling *Lagenorhynchus*. *Reports of the International Whaling Commission* 47): 1015-1017.
- van Waerebeek K, Barnett L, Camara A, Cham A, Diallo M, Djiba A, Jallow AO, Ndiaye E, Samba Ould Bilal AO, Bamyl IL. 2004. Distribution, status, and biology of the Atlantic humpback dolphin, *Sousa teuszii* (Kükenthal, 1892). *Aquatic Mammals* 30): 56-83.

van Waerebeek K, Perrin WF. 2007. Conservation status of the Atlantic humpback dolphin, a compromised future? *Paper CMS/SC14/Doc.6 presented to the 14th Meeting of the CMS Scientific Council, March 2007, Bonn, Germany.*): 10.

van Waerebeek K, Papastavrou V, Thiele D, Findlay KP, Donovan G, Ensor P. in press. Odontocetes of the Southern Ocean Sanctuary. *Journal of Cetacean Research and Management*.

Walsh PDF, J.M., Gulick S, Sounguet GP. 2000. Humpback whale activity near Cap Lopez, Gabon. *Journal of Cetacean Research and Management* 2): 63-67.

Watkins WA, Schevill WE, Best PB. 1977. Underwater sounds of *Cephalorhynchus heavisidii* (Mammalia: Cetacea). *Journal of Mammalogy* 58 (3).

Weir CR. 2006a. Sightings of beaked whales (Cetacea: Ziphiidae) including first confirmed Cuvier's beaked whales *Ziphius cavirostris* from Angola. *African Journal of Marine Science* 28): 173-175.

Weir CR. 2006b. First confirmed records of Clymene dolphin, *Stenella clymene* (Gray, 1850), from Angola and Congo, South-east Atlantic Ocean. *African Zoology* 41): 297-300.

Weir CR. 2007. Occurrence and distribution of cetaceans off northern Angola, 2004/05. *Journal of Cetacean Research and Management* 9): 225-239.

Weir CR. 2008a. Overt responses of humpback whales (*Megaptera novaeangliae*), sperm whales (*Physeter macrocephalus*), and Atlantic spotted dolphins (*Stenella frontalis*) to seismic exploration off Angola. *Aquatic Mammals* 34): 71-83.

Weir CR. 2008b. Short-finned pilot whales (*Globicephala macrorhynchus*) respond to an airgun ramp-up procedure off Gabon. *Aquatic Mammals* 34): 349-354.

Weir CR, Debrah J, Ofori-Danson PK, Pierpoint C, Van Waerebeek K. 2008. Records of Fraser's dolphin *Lagenodelphis hosei* Fraser 1956 from the Gulf of Guinea and Angola. *African Journal of Marine Science* 30): 241-246.

Weir CR. 2009. Distribution, behaviour and photo-identification of Atlantic humpback dolphins *Sousa teuszii* off Flamingos, Angola. *African Journal of Marine Science* 31): 319-331.

Weir CR. 2010a. A review of cetacean occurrence in West African waters from the Gulf of Guinea to Angola. *Mammal Review* 40): 2-39.

Weir CR. 2010b. Cetaceans observed in the coastal waters of Namibe Province, Angola, during summer and winter 2008. *Marine Biodiversity Records* 3: e27. DOI: doi:10.1017/S1755267210000230

Weir CR. 2010c. First description of Atlantic humpback dolphin (*Sousa teuszii*) whistles, recorded off Angola. *Bioacoustics* 19): 211-224.

Weir CR, Collins T, Carvalho I, Rosenbaum HC. 2010. Killer whales (*Orcinus orca*) in Angolan and Gulf of Guinea waters, tropical West Africa. *Journal of the Marine Biological Association of the UK* 90): 1601-1611.

Weir CR. In press. Distribution and seasonality of cetaceans in tropical waters between Angola and the Gulf of Guinea. *African Journal of Marine Science*).

Weir CR, Van Waerebeek K, Jefferson TA, Collins T. In press. West Africa's Atlantic humpback dolphin (*Sousa teuszii*): endemic, enigmatic and soon endangered? *African Zoology*).

Wheeler JFG. 1946. Observations on Whales in the South Atlantic Ocean in 1943. *Proceedings of the Zoological Society of London* 116): 221-224.

Williams AJ, Dyer BM, Randall RM, Komen J. 1990. Killer whales *Orcinus orca* and seabirds: "Play", predation and association. *Marine Ornithology* 18): 37-41.

Wilson CE, Perrin WF, Gilpatrick JWJ, Leatherwood S. 1987. Summary of worldwide locality records of the striped dolphin, *Stenella coeruleoalba*. *NOAA Technical Memorandum NOAA-TM-NMFS-SWFC* 90): 69.

Winn HE, Reichley N. 1985. Humpback whale - *Megaptera novaeangliae*. In: Ridgway SH, Harrison R (eds), *Handbook of Marine Mammals*, vol. 3. London: Academic Press.

Wray P, Martin KR. 1983. Historical whaling records from the western Indian Ocean. *Reports of the International Whaling Commission* (Special Issue 5): 218-242.

Young DD, Cockcroft VG. 1994. Diet of common dolphins (*Delphinus delphis*) off the south-east coast of southern Africa: Opportunism or specialization? *Journal of Zoology* 234(1)): 41-53.

Young DD, Cockcroft VG. 1995. Stomach contents of stranded common dolphins *Delphinus delphis* from the south-east of southern Africa. *Z. Saugetierkunde*. 6): 343-351.

Zemsky VA, Mikhalev YA, Tormosov DD. 1997. Humpback whale catches by area by the Soviet Antarctic Whaling Fleets. *Report of the international Whaling Commission* 47): 151.